

## ■ 2024 年

Tomimatsu K, Fujii T, Bise R, Hosoda K, Taniguchi Y, Ochiai H, Ohishi H, Ando K, Minami R, Tanaka K, Tachibana T, Mori S, Harada A, Maehara K, Nagasaki M, Uchida S, Kimura H, Narita M, Ohkawa Y. Precise immunofluorescence canceling for highly multiplexed imaging to capture specific cell states. *Nat. Commun.* 2024 May 8;15(1):3657. doi: 10.1038/s41467-024-47989-9. PMID: 38719795; PMCID: PMC11078938.

Minami S, Kotaki T, Sakai Y, Okamura S, Torii S, Ono C, Motooka D, Hamajima R, Nouda R, Nurdin JA, Yamasaki M, Kanai Y, Ebina H, Maeda Y, Okamoto T, Tachibana T, Matsuura Y, Kobayashi T. Vero cell-adapted SARS-CoV-2 strain shows increased viral growth through furin-mediated efficient spike cleavage. *Microbiol. Spectr.* 2024 Apr 2;12(4):e0285923. doi: 10.1128/spectrum.02859-23. Epub 2024 Feb 28. PMID: 38415690; PMCID: PMC10986611.

Egashira S, Tachibana T, Nakamura M, Ohkawa Y, Harada A. Production of a Monoclonal Antibody for Histone H2b Isoform H2b3b. *Monoclon. Antib. Immunodiagn. Immunother.* 2024 Mar 19.;43(2) doi: 10.1089/mab.2023.0025. Epub ahead of print. PMID: 38502827.

## ■ 2023 年

Okagawa T, Konnai S, Goto S, Sajiki Y, Ganbaatar O, Watari K, Nakamura H, Wang CX, Tachibana T, Kato Y, Kameda Y, Kohara J, Terasaki N, Kubota M, Takeda A, Takahashi H, Suzuki Y, Maekawa N, Murata S, Ohashi K. Development of a high-affinity anti-bovine PD-1 rabbit-bovine chimeric antibody using an efficient selection and large production system. *Vet. Res.* 2023 Sep 27;54(1):82. doi: 10.1186/s13567-023-01213-6. PMID: 37759311; PMCID: PMC10537840.

Nishino Y, Homma T, Ihara KI, Fujii J, Tachibana T, Yokoyama C. Generation of Rat Monoclonal Antibody for Human Nucleolin. *Monoclon. Antib. Immunodiagn. Immunother.* 2023 Aug;42(4):145-149. doi: 10.1089/mab.2023.0008. Epub 2023 Aug 16. PMID: 37589992.

Minami S, Matsumoto N, Omori H, Nakamura Y, Tamiya S, Nouda R, Nurdin JA, Yamasaki M, Kotaki T, Kanai Y, Okamoto T, Tachibana T, Ushijima H, Kobayashi T, Sato S. Effective SARS-CoV-2 replication of monolayers of intestinal epithelial cells differentiated from human induced pluripotent stem cells. *Sci. Rep.* 2023 Jul 18;13(1):11610. doi: 10.1038/s41598-023-38548-1. PMID: 37463955; PMCID: PMC10354114.

Yamamoto H, Nakanishi T, Ihara KI, Tachibana T, Yokoyama C. Generation of Rat Monoclonal Antibodies Against Human Epidermal Growth Factor Receptor 2. *Monoclon. Antib. Immunodiagn. Immunother.* 2023 Apr;42(2):59-64. doi: 10.1089/mab.2022.0042. Epub 2023 Apr 19. PMID: 37074339.

Chakraborty S, Handrick B, Yu D, Bode KA, Hafner A, Schenz J, Schaack D, Uhle F, Tachibana T, Kamitani S, Vogl T, Kubatzky KF. (2023)  $G\alpha_q$  modulates the energy metabolism of osteoclasts. *Front. Cell. Infect. Microbiol.* 12:1016299. doi: 10.3389/fcimb.2022.1016299. PMID: 36699722; PMCID: PMC9869164.

Osaki T, Yokoyama C, Magari Y, Souri M, Ichinose A. Novel immunochromatographic test for anti-factor XIII B subunit autoantibodies to diagnose autoimmune acquired factor XIII deficiency. *Thromb Haemost.* 2023 Aug;123(8):793-803. doi: 10.1055/a-2061-3182. Epub 2023 Mar 23. PMID: 36958345.

Souri M, Yokoyama C, Osaki T, Ichinose A. Antibodies against non-catalytic B subunit of factor XIII inhibit activation of factor XIII and fibrin crosslinking. *Thromb Haemost.* 2023 Sep;123(9):841-854. doi: 10.1055/a-2057-8710. Epub 2023 Mar 19. PMID: 36934722.

Osaki T, Souri M, Yokoyama C, Magari Y, Ichinose A. Unmet need for reliable immunological detection method for anti-von Willebrand factor autoantibodies. *Thromb Haemost.* 2023 Apr;123(4):478-481. doi: 10.1055/a-2002-2394. Epub 2022 Dec 20. PMID: 36539201.

## ■ 2022 年

Yokoyama C, Kobayashi S, Harada Y, Nishino Y, Fujii J, Tachibana T. Generation of Rat Monoclonal Antibody for Mouse Nucleolin by Immunization of Ferroptosis-Induced Hepa 1-6 Cells. *Monoclon. Antib. Immunodiagn. Immunother.* 2022;41(5):255-259. doi:10.1089/mab.2022.0005

Miyamoto Y, Itoh Y, Suzuki T, Tanaka T, Sakai Y, Koido M, Hata C, Wang CX, Otani M, Moriishi K, Tachibana T, Kamatani Y, Yoneda Y, Okamoto T, Oka M. SARS-CoV-2 ORF6 disrupts nucleocytoplasmic trafficking to advance viral replication. *Commun. Biol.* 2022 May 19;5(1):483. doi: 10.1038/s42003-022-03427-4. PMID: 35590097; PMCID: PMC9120032.

Yokoyama C, Kobayashi S, Harada Y, Nishino Y, Fujii J, Tachibana T. Generation of rat monoclonal antibody for mouse nucleolin by immunization of ferroptosis-induced Hepa 1-6 cells. *Monoclon Antib Immunodiagn Immunother.* 2022 Oct;41(5):255-259. doi: 10.1089/mab.2022.0005. Epub 2022 Oct 20. PMID: 36269321.

Homma T, Nishino Y, Fujii J, Yokoyama C. Flow cytometric determination of ferroptosis using a rat monoclonal antibody raised against ferroptotic cells. *J Immunol Methods.* 2022 Nov;510:113358. doi: 10.1016/j.jim.2022.113358. Epub 2022 Sep 17. PMID: 36126779.

Zhang H, Itoh Y, Suzuki T, Ihara K, Tanaka T, Haga S, Enatsu H, Yumiya M, Kimura M, Takada A, Itoh D, Shibazaki Y, Nakao S, Yoshio S, Miyakawa K, Miyamoto Y, Sasaki H, Kajita T, Sugiyama M, Mizokami M, Tachibana T, Ryo A, Moriishi K, Miyoshi E, Kanto T, Okamoto T, Matsuura Y. Establishment of monoclonal antibodies broadly neutralize infection of hepatitis B virus. *Microbiol Immunol.* 2022 doi: 10.1111/1348-0421.12964. Online ahead of print.

Hirai S, Tomimatsu K, Miyawaki-Kuwakado A, Takizawa Y, Komatsu T, Tachibana T, Fukushima Y, Takeda Y, Negishi L, Kujirai T, Koyama M, Ohkawa Y, Kurumizaka H. Unusual nucleosome formation and transcriptome influence by the histone H3mm18 variant. *Nucleic Acids Res.* 2022 Jan 11; 50(1): 72-91. doi: 10.1093/nar/gkab1137.

Kuzmić M, Castro Linares G, Leischner Fialová J, Iv F, Salaün D, Llewellyn A, Gomes M, Belhabib M, Liu Y, Asano K, Rodrigues M, Isnardon D, Tachibana T, Koenderink GH, Badache A, Mavrakis M, Verdier-Pinard P. Septin-microtubule association via a motif unique to isoform 1 of septin 9 tunes stress fibers. *J Cell Sci.* 2022 Jan 1; 135(1): jcs258850. doi: 10.1242/jcs.258850.

## ■ 2021 年

Tan A, Xu F, Yokoyama C, Yano S, Konno H. Design, synthesis, and evaluation of the self-assembled antimicrobial peptides based on the ovalbumin-derived peptide TK913. *J Pept Sci.* 2022 Apr;28(4):e3375. doi: 10.1002/psc.3375. Epub 2021 Nov 1. PMID: 34725889.

Homma T, Kobayashi S, Conrad M, Konno H, Yokoyama C, Fujii J. Nitric oxide protects against ferroptosis by aborting the lipid peroxidation chain reaction. *Nitric Oxide.* 2021 Oct 1;115:34-43. doi: 10.1016/j.niox.2021.07.003. Epub 2021 Jul 27. PMID: 34329739.

Kobayashi S, Harada Y, Homma T, Yokoyama C, Fujii J. Characterization of a rat monoclonal antibody raised against ferroptotic cells. *J Immunol Methods.* 2021 Feb;489:112912. doi: 10.1016/j.jim.2020.112912. Epub 2020 Nov 12. PMID: 33189725.

Takehashi A, Suzuki S, Shiota M, Raymo N, Gi M, Tachibana T, Stefanov V, Wanibuchi H. Canopy Homolog 2 as a Novel Molecular Target in Hepatocarcinogenesis. *Cancers (Basel)*. 2021 Jul 19; 13(14): 3613. doi: 10.3390/cancers13143613.

Soeta K, Yamaguchi R, Iuchi K, Hisatomi H, Yokoyama C\*. Generation of Rat Monoclonal Antibody for Human IQGAP1 by Immunization of Three-Dimensional-Cultured Cancer Cells. *Monoclon. Antib. Immunodiagn. Immunother.* 2021 Jun; 40(3): 118-123. doi: 10.1089/mab.2020.0046.

## ■ 2020 年

Wakui H, Tanaka Y, Ose T, Matsumoto I, Kato K, Min Y, Tachibana T, Sato M, Naruchi K, Martin FG, Hinou H, Nishimura SI. (2020) A straightforward approach to antibodies recognising cancer specific glycopeptidic neoepitopes. *Chem Sci* 11(19):4999-5006. doi: 10.1039/d0sc00317d.

Fujitani K, Otomo A, Nagayama Y, Tachibana T, Kato R, Kawashima Y, Kodera Y, Kato T, Takada S, Tamura K, Takamatsu N, Ito M. (2020) PACT/PRKRA and p53 regulate transcriptional activity of DMRT1. *Genet. Mol. Biol.* 43(2):e20190017. doi: 10.1590/1678-4685-GMB-2019-0017.

Shibata W, Niki M, Sato K, Fujimoto H, Yamada K, Watanabe T, Miyazaki Y, Asai K, Obata Y, Tachibana T, Kawaguchi T, Kaneko Y, Kakeya H. (2020) Detection of Rhizopus-specific antigen in human and murine serum and bronchoalveolar lavage. *Med. Mycol.* 58(7):958-964. myaa001. doi: 10.1093/mmy/myaa001.

Soeta K, Iuchi K, Hisatomi H, Yokoyama C. Generation of rat monoclonal antibody for cytokeratin 18 (CK18) by immunization of three-dimensional-cultured cancer cells. *Monoclon Antib Immunodiagn Immunother.* 2020 Dec;39(6):199-203. doi: 10.1089/mab.2020.0030. Epub 2020 Oct 16. PMID: 33064594.

Arai Y, Saruwatari T, Kikkou T, Sugahara K, Sato Y, Imada S, Katsuki Y, Kashiwa H, Yokoyama C, Iuchi K, Hisatomi H. Molecular phylogeny of the white-spotted charr, *Salvelinus leucomaenis* from Japan and the position of the *S. l. japonicus* morphotype (nagaremon charr), demonstrating teleost diversification in an archipelago. *Genet Mol Res.* 19:gmr18663, 2020. doi: 10.4238/gmr18663.

Tan A, Suzuki R, Yokoyama C, Yano S, Konno H. Antimicrobial activity and secondary structure of a novel peptide derived from ovalbumin. *J Pept Sci.* 2020 Oct;26(10):e3276. doi: 10.1002/psc.3276. Epub 2020 Jul 26. PMID: 32715598.

Iuchi K, Arai Y, Sasaki K, Sato N, Yokoyama C, Saruwatari T, Hisatomi H. A simple method for isolation and culture of primary hepatocytes from *salvelinus leucomaenis* (White-spotted charr). *Cytotechnology.* 2020 Oct;72(5):731-739. doi: 10.1007/s10616-020-00415-6. Epub 2020 Aug 10. PMID: 32779071.

Higashi K, Maeda K, Miyata K, Yoshimura S, Yamada K, Konno D, Tachibana T, Saito K. Carbohydrate 3'-Sialyllactose as a Novel Target for Theranostics in Pancreatic Ductal Adenocarcinoma. *Tumor Biology* 2020 Oct 8; 42(10): 1-9. doi: 10.1177/1010428320965279

Xu L, Ihara K, Yoshimura S, Konno D, Tachibana A, Nakanishi T, Tachibana T\*. Generation of the Rat Monoclonal Antibody Against the Extracellular Domain of Human CD63 by DNA Immunization. *Monoclon. Antib. Immunodiagn. Immunother.* 2020 Jun; 39(3): 74-76. doi: 10.1089/mab.2020.0007.

## ■ 2019 年

Oka M, Mura S, Otani M, Miyamoto Y, Nogami J, Maehara K, Harada A, Tachibana T, Yoneda Y, Ohkawa Y. (2019) Chromatin-bound CRM1 recruits SET-Nup214 and NPM1c onto *HOX* clusters causing aberrant *HOX* expression in leukemia cells. *Elife*. 8:e46667. doi: 10.7554/eLife.46667.

Iioka H, Saito K, Sakaguchi M, Tachibana T, Homma K, Kondo E. (2019) Crumbs3 is a critical factor that regulates invasion and metastasis of colon adenocarcinoma via the specific interaction with FGFR1. *Int. J. Cancer* 145(10):2740-2753, doi: 10.1002/ijc.32336.

Shiromoto Y, Kuramochi-Miyagawa S, Nagamori I, Chuma S, Arakawa T, Nishimura T, Hasuwa H, Tachibana T, Ikawa M, Nakano T. (2019) GPAT2 is required for piRNA biogenesis, transposon silencing, and maintenance of spermatogonia in mice. *Biol. Reprod.* pii: ioz056. doi: 10.1093/biolre/ioz056.

Yokoyama C, Ikeda S, Osaki T, Souri M, Ichinose A. Generation and application of rat monoclonal antibodies specific for a human blood coagulation protein, von Willebrand factor. *Monoclon Antib Immunodiagn Immunother.* 2019 Jun;38(3):133-136. doi: 10.1089/mab.2019.0008. PMID: 31192778.

Arai Y, Yokoyama C, Nagase K, Suwa M, Ogawa Y, Iuchi K, Hisatomi H. Complete mitochondrial DNA sequences of two endemic subspecies, *Salvelinus leucomaenis imbricus* and *Salvelinus leucomaenis pluvius* (Salmonid, White spotted charr) in Japan. *Mitochondrial DNA B Resour.* 4:1524-1525, 2019. doi: 10.1080/23802359.2019.1601517.

Sato N, Yokoyama C, Inukai M, Miyashita S, Nagase K, Nakano T, Iuchi K, Hisatomi H. Analysis of genetic variation in mitochondrial cytochrome c oxidase subunit 1 between *Haemadipsa japonica* in Japan and land leeches worldwide. *Mitochondrial DNA B Resour.* 4:1408-1410, 2019. doi: 10.1080/23802359.2019.1598296.

Yokoyama C, Chigi Y, Baba T, Ohshitanai A, Harada Y, Takahashi F, Morohashi KI. Three populations of adult Leydig cells in mouse testes revealed by a novel mouse HSD3B1-specific rat monoclonal antibody. *Biochem Biophys Res Commun.* 2019 Apr 16;511(4):916-920. doi: 10.1016/j.bbrc.2019.02.100. Epub 2019 Mar 7. PMID: 30851938.

Iuchi K, Ema M, Suzuki M, Yokoyama C, Hisatomi H. Oxidized unsaturated fatty acids induce apoptotic cell death in cultured cells. *Mol Med Rep.* 2019 Apr;19(4):2767-2773. doi: 10.3892/mmr.2019.9940. Epub 2019 Feb 5. PMID: 30720142.

## ■ 2018 年

Miyamoto Y, Whiley PAF, Goh HY, Wong C, Higgins G, Tachibana T, McMenamin PG, Mayne L, Loveland KL. (2018) The STK35 locus contributes to normal gametogenesis and encodes a lncRNA responsive to oxidative stress. *Biol. Open.* 7(8). pii: bio032631. doi: 10.1242/bio.032631.

## ■ 2017 年

Liu T, Yamashita K, Fukumoto Y, Tachibana T, Azuma M. (2017) Flocculation of real sewage sludge using poly- $\gamma$ -glutamic acid produced by *Bacillus* sp. isolated from soil. *J. Chem. Eng. Jpn* 50(3) 201-206.

Mimura Y, Takemoto S, Tachibana T, Ogawa Y, Nishimura M, Yokota H, Imamoto N. (2017) A statistical image analysis framework for pore-free islands derived from heterogeneity distribution of nuclear pore complexes. *Sci. Rep.* 7:16315. doi: 10.1038/s41598-017-16386-2.

Bouguenina H, Salaun D, Mangon A, Muller L, Baudelet E, Camoin L, Tachibana T, Cianfèrani S, Audebert S, Verdier-Pinard P, Badache A. (2017) EB1-binding-myomegalin protein complex promotes centrosomal microtubules functions. *Proc. Natl. Acad. Sci. USA*. pii: 201705682. doi: 10.1073/pnas.1705682114.

Yokoyama C, Sueyoshi Y, Ema M, Mori Y, Takaishi K, Hisatomi H. Induction of oxidative stress by anticancer drugs in the presence or absence of cells. *Oncol Lett*. 2017 Nov;14(5):6066-6070. doi: 10.3892/ol.2017.6931. Epub 2017 Sep 14. PMID: 29113247.

Yokoyama C, Yajima C, Machida T, Kawahito Y, Uchida M, Hisatomi H. Interleukin-8 enhances the effect of colchicine on cell death. *Biochem Biophys Res Commun*. 2017 Mar 25;485(1):89-94. doi: 10.1016/j.bbrc.2017.02.025. Epub 2017 Feb 9. PMID: 28189686.

Taguchi H, Xie Y, Horikoshi N, Maehara K, Harada A, Nogami J, Sato K, Arimura Y, Osakabe A, Kujirai T, Iwasaki T, Semba Y, Tachibana T, Kimura H, Ohkawa Y, Kurumizaka H. (2017) Crystal structure and characterization of novel human histone H3 variants, H3.6, H3.7, and H3.8. *Biochemistry*. doi: 10.1021/acs.biochem.6b01098.

Verdier-Pinard P, Salaun D, Bouguenina H, Shimada S, Pophillat M, Audebert S, Agavnian E, Coslet S, Charafe-Jauffret E, Tachibana T, Badache A. (2017) Septin 9\_i2 is downregulated in tumors, impairs cancer cell migration and alters subnuclear actin filaments. *Sci. Rep.* 7:44976. doi: 10.1038/srep44976.

Higashi K, Wang CX, Yokoyama C, Yamada K, Saito K, Tachibana T. (2017) Application of Monoclonal Antibodies Against Mouse Dermokine. *Monoclon. Antib. Immunodiagn. Immunother.* 36(1):15-19. doi: 10.1089/mab.2016.0051.

Ueda J, Harada A, Urahama T, Machida S, Maehara K, Hada M, Makino Y, Nogami J, Horikoshi N, Osakabe A, Taguchi H, Tanaka H, Tachiwana H, Yao T, Yamada M, Iwamoto T, Isotani A, Ikawa M, Tachibana T, Okada Y, Kimura H, Ohkawa Y, Kurumizaka H, Yamagata K. (2017) Testis-Specific Histone Variant H3t Gene Is Essential for Entry into Spermatogenesis. *Cell Rep.* 18(3):593-600. doi: 10.1016/j.celrep.2016.12.065.

## ■ 2016 年

Shibata S, Kawanai T, Hara T, Yamamoto A, Chaya T, Tokuhara Y, Tsuji C, Sakai M, Tachibana T, Inagaki S. (2016) ARHGEF10 directs the localization of Rab8 to Rab6-positive executive vesicles. *J. Cell Sci.* 129(19):3620-3634.

Higashi K, Fujii N, Kushida M, Yamada K, Suzuki N, Saito K, Tachibana T. (2016) Generation of Rat Monoclonal Antibodies Against Human Pancreatic Ductal Adenocarcinoma Cells. *Monoclon. Antib. Immunodiagn. Immunother.* doi:10.1089/mab.2016.0012.

Oka M, Mura S, Yamada K, Sangel P, Hirata S, Maehara K, Kawakami K, Tachibana T, Ohkawa Y, Kimura H, Yoneda Y. (2016) Chromatin-prebound Crm1 recruits Nup98-HoxA9 fusion to induce aberrant expression of Hox cluster genes. *Elife*. 5. pii: e09540. doi: 10.7554/eLife.09540.

## ■ 2015 年

Satoh N, Yokoyama C, Itamura N, Miyajima-Nakano Y, Hisatomi H. Alternative splicing isoform in succinate dehydrogenase complex, subunit C causes downregulation of succinate-coenzyme Q oxidoreductase activity in mitochondria. *Oncol Lett*. 2015 Jan;9(1):330-334. doi: 10.3892/ol.2014.2699. Epub 2014 Nov 11. PMID: 25435987.

Osaki T, Wang CX, Tachibana T, Azuma M, Kitamura M, Nakanishi T. (2015) Generation and Characterization of Rat Monoclonal Antibodies Against Epidermal Growth Factor Receptor.

*Monoclon. Antib. Immunodiagn Immunother*. 34(6):418-22. doi: 10.1089/mab.2015.0034.

Hosoba K, Komatsu S, Ikebe M, Kotani M, Wenqin X, Tachibana T, Hosoya H, Hamao K. (2015) Phosphorylation of myosin II regulatory light chain by ZIP kinase is responsible for cleavage furrow ingression during cell division in mammalian cultured cells.

*Biochem. Biophys. Res. Commun*. 459(4):686-691. doi: 10.1016/j.bbrc.2015.03.005.

Higashi K, Yagi M, Arakawa T, Asano K, Kobayashi K, Tachibana T, Saito K. (2015) A novel marker for undifferentiated human embryonic stem cells.

*Monoclon. Antib. Immunodiagn. Immunother*. 34(1):7-11. doi: 10.1089/mab.2014.0075.

Okamoto M, Iguchi T, Hattori T, Matsuzaki S, Koyama Y, Taniguchi M, Komada M, Xie MJ, Yagi H, Shimizu S, Konishi Y, Omi M, Yoshimi T, Tachibana T, Fujieda S, Katayama T, Ito A, Hirotsune S, Tohyama M, Sato M. (2015) DBZ regulates cortical cell positioning and neurite development by sustaining the anterograde transport of Lis1 and DISC1 through control of Ndel1 dual-phosphorylation.

*J. Neurosci*. 35(7):2942-2958. doi: 10.1523 / JNEUROSCI.5029-13.2015.

Harada A, Maehara K, Sato Y, Konno D, Tachibana T, Kimura H, Ohkawa Y. (2015) Incorporation of histone H3.1 suppresses the lineage potential of skeletal muscle.

*Nucleic Acids Res*. 43(2):775-86. doi: 10.1093/nar/gku1346.

立花太郎

「抗体医薬品産業の現状と展望」

試薬会誌 Vol.47 13-15, 2015 日本試薬協会

## ■ 2014 年

Suzuki K, Numata T, Suzuki H, Raga DD, Ipulan LA, Yokoyama C, Matsushita S, Hamada M, Nakagata N, Nishinakamura R, Kume S, Takahashi S, Yamada G. Sexually dimorphic expression of Mafb regulates masculinization of the embryonic urethral formation. *Proc Natl Acad Sci U S A*. 2014 Nov 18;111(46):16407-12. doi: 10.1073/pnas.1413273111. Epub 2014 Oct 31. PMID: 25362053

Chiba M, Yokoyama C, Okada M, Hisatomi H. Mitochondrial DNA reduced by hypoxic conditions in three-dimensional (3D) spheroid cell cultures. *Tumour Biol*. 2014 Dec;35(12):12689-93. doi: 10.1007/s13277-014-2593-6. Epub 2014 Sep 13. PMID: 25217322.

Nakadate Y, Kodera Y, Kitamura Y, Shirasawa S, Tachibana T, Tamura T, Koizumi F. (2014) KRAS mutation confers resistance to antibody-dependent cellular cytotoxicity of cetuximab against human colorectal cancer cells.

*Int. J. Cancer* 134(9):2146-2155.

Takada Y, Mizobuchi A, Kato T, Kasahara E, Ito C, Watanabe H, Kanzaki K, Kitagawa S, Tachibana T, Azuma M. (2014) Isolation of diploid baker's yeast capable of strongly activating immune cells and analyses of the cell wall structure.

***Biosci. Biotechnol. Biochem.*** 78(5):911-915.

Higashi K, Asano K, Yagi M, Yamada K, Arakawa T, Ehashi T, Mori T, Sumida K, Kushida M, Ando S, Kinoshita M, Kakehi K, Tachibana T, Saito K. (2014) Expression of the Clustered NeuAc  $\alpha 2$ -3Gal  $\beta$  O-Glycan Determines the Cell Differentiation State of the Cells.

***J. Biol. Chem.*** 289(37):25833-25843. doi: 10.1074/jbc.M114.550848.

Shimizu S, Koyama Y, Hattori T, Tachibana T, Yoshimi T, Emoto H, Matsumoto Y, Miyata S, Katayama T, Ito A, Tohyama M (2014) DBZ, a CNS-specific DISC1 binding protein, positively regulates oligodendrocyte differentiation.

***Glia.*** 62, 709-724

Iwata K, Matsuzaki H, Tachibana T, Ohno K, Yoshimura S, Takamura H, Yamada K, Matsuzaki S, Nakamura K, Tsuchiya KJ, Matsumoto K, Tsujii M, Sugiyama T, Katayama T, Mori N. (2014) N-ethylmaleimide-sensitive factor interacts with the serotonin transporter and modulates its trafficking: implications for pathophysiology in autism.

***Mol. Autism*** 2014 May 10;5:33. doi: 10.1186/2040-2392-5-33.

Nakadate Y, Yoshimura S, Nakatani N, Azuma M, Tachibana T. (2014) Generation of a monoclonal antibody against the extracellular domain of IGF-1R.

***Monoclon Antib Immunodiagn Immunother.*** 33(2):126-128. doi: 10.1089/mab.2013.0083.

Harada A, Hayashi M, Kuniyoshi Y, Semba Y, Sugahara S, Tachibana T, Ohkawa Y, Fujita M. (2014) Generation of a monoclonal antibody for INI1/hSNF5/BAF47.

***Monoclon Antib Immunodiagn Immunother.*** 33(1):49-51. doi: 10.1089/mab.2013.0065.

Harada A, Okazaki E, Okada S, Tachibana T, Ohkawa Y. (2014) Production of a monoclonal antibody for C/EBP  $\beta$ : the subnuclear localization of C/EBP  $\beta$  in mouse L929 cells.

***Monoclon Antib Immunodiagn Immunother.*** 33(1):34-37. doi: 10.1089/mab.2013.0069.

Kaneshiro H, Takano K, Takada Y, Wakisaka T, Tachibana T, Azuma M. (2014) A milliliter-scale yeast-based fuel cell with high performance.

***Biochem. Eng. J.*** 83, 90-96.

Matsuoka H, Hashimoto K, Saijo A, Takada Y, Kondo A, Ueda M, Ooshima H, Tachibana T, Azuma M. (2014) Cell wall structure suitable for surface display of proteins in *Saccharomyces cerevisiae*.

***Yeast.*** 31(2):67-76.

Takada Y, Nishino Y, Ito C, Watanabe H, Kanzaki K, Tachibana T, Azuma M. (2014) Isolation and characterization of baker's yeast capable of strongly activating a macrophage.

***FEMS Yeast Res.*** 14(2): 261-269.

## ■ 2013 年

Jiao, B., Taniguchi-Ishigaki, N., GÜNGÖR, C., Peters, M.A., Chen, Y.W., Riethdorf, S., Drung, A., Ahronian, L.G., Shin, J., Pagnis, R., Pantel, K., Tachibana, T., Lewis, B.C., Johnsen, S.A.\*, and Bach, I. (2013). Functional activity of RLIM/Rnf12 is regulated by

phosphorylation-dependent nucleo-cytoplasmic shuttling.

*Mol. Biol. Cell*, 24, 3085-3096.

Orth JH, Fester I, Siegert P, Weise M, Lanner U, Kamitani S, Tachibana T, Wilson BA, Schlosser A, Horiguchi Y, Aktories K. (2013) Substrate specificity of Pasteurella multocida toxin for  $\alpha$  subunits of heterotrimeric G proteins.

*FASEB J.* 27, 832-842.

Arakawa T, Yoshimi T, Azuma M, Tachibana T. (2013) Production of a Monoclonal Antibody Specific for Pou5f1/Oct4.

*Monoclon. Antib. Immunodiagn. Immunother.*, 32, 229-231.

Yoshimi T., Ohkawa Y., Azuma M., Tachibana T. (2013) A panel of specific monoclonal antibodies directed against various phosphorylated histone H3.

*Monoclon. Antib. Immunodiagn. Immunother.*, 32, 119-124.

Shima Y, Miyabayashi K, Haraguchi S, Arakawa T, Otake H, Baba T, Matsuzaki S, Shishido Y, Akiyama H, Tachibana T, Tsutsui K, Morohashi K. (2013) Contribution of Leydig and Sertoli cells to testosterone production in mouse fetal testes.

*Mol Endocrinol.* 27, 63-73.

Maehara K., Odawara J., Harada A., Yoshimi T., Nagao K., Obuse C., Akashi K., Tachibana T., Sakata T., Ohkawa Y. (2013) A co-localization model of paired ChIP-seq data using a large ENCODE data set enables comparison of multiple samples.

*Nucleic Acids Res.* 41, 54-62.

## ■ 2012 年

Suzuki K, Yokoyama C, Higashi Y, Daikoku T, Mizoguchi S, Saika S, Yamada G. Wakayama Symposium: Epithelial-Mesenchymal Interaction Regulates Tissue Formation and Characteristics: Insights for Corneal Development. *Ocul Surf.* 2012 Oct;10(4):217-20. doi: 10.1016/j.jtos.2012.07.007. Epub 2012 Jul 25. PMID: 23084142.

Higashi K, Hasegawa M, Yokoyama C, Tachibana T, Mitsui S, Saito K, (2012) Dermokine- $\beta$  impairs ERK signaling through direct binding to GRP78.

*FEBS Lett.* 586, 2300-2305.

Hasegawa M, Higashi K, Yokoyama C, Yamamoto F, Tachibana T, Matsushita T, Hamaguchi Y, Saito K, Fujimoto M, Takehara K. (2012) Altered expression of dermokine in skin disorders.

*J. Eur. Acad. Dermatol. Venereol.* doi: 10.1111/j.1468-3083.2012.04598.x.

Harada A, Okada S, Konno D, Odawara J, Yoshimi T, Yoshimura S, Kumamaru H, Saiwai H, Tsubota T, Kurumizaka H, Akashi K, Tachibana T, Imbalzano AN, Ohkawa Y. (2012) Chd2 interacts with H3.3 to determine myogenic cell fate.

*EMBO J.* 31, 2994-3007.

立花太郎・吉見智彦・福原崇臣

「迅速かつ効率的なモノクローナル抗体作製法」

脳 21 Vol.15 No.1 68-70, 2012 金芳堂

## ■ 2011 年



Omori K, Kagami Y, Yokoyama C, Moriyama T, Matsumoto N, Masaki M, Nakamura H, Kamasaka H, Shiraishi K, Kometani T, Kuriki T, Huang ZL, Urade Y. Promotion of non-rapid eye movement sleep in mice after oral administration of ornithine. *Sleep Biol Rhythms*, 10:38-45, 2011. doi: 10.1111/j.1479-8425.2011.00515.x.

Odawara J, Harada A, Yoshimi T, Maehara K, Tachibana T, Okada S, Akashi K, Ohkawa Y. (2011)  
The classification of mRNA expression levels by the phosphorylation state of RNAPII CTD based on a combined genome-wide approach.  
*BMC Genomics*, 12,516-

Mehmood R, Yasuhara N, Fukumoto M, Oe S, Tachibana T and Yoneda Y. (2011)  
Cross talk between distinct nuclear import pathways enables efficient nuclear import of E47 in conjunction with its partner transcription factors.  
*Mol. Biol. Cell*. 22, 3715-3724.

Kamitani S, Ao S, Toshima H, Tachibana T, Hashimoto M, Kitadokoro K, Fukui-Miyazaki A, Abe H and Horiguchi Y. (2011)  
Enzymatic actions of Pasteurella multocida toxin detected by monoclonal antibody recognizing the deamidated alpha subunit of the heterotrimeric GTPase Gq.  
*FEBS Journal*, 278, 2702-2712.

Lai PY, Wang CY, Chen WY, Kao YH, Tsai HM, Tachibana T, Chang WC, Chung BC. (2011)  
Steroidogenic Factor 1 (NR5A1) resides in centrosomes and maintains genomic stability by controlling centrosome homeostasis.  
*Cell Death Differ*. 18, 1836-1844.

Kakehashi A, Ishii N, Shibata T, Wei M, Okazaki E, Tachibana T, Fukushima S, Wanibuchi H.(2011)  
Mitochondrial prohibitins and septin 9 are implicated in the onset of rat hepatocarcinogenesis.  
*Toxicol Sci*. 119, 61-72.

## ■ 2010 年

Mizuguchi C, Oka M, Moriyama T, Tachibana T, Yoneda Y. (2010)  
Specific Monoclonal Antibody Against the Nuclear Pore Complex Protein, Nup96.  
*Hybridoma*, 29, 551-553.

Iino H, Maeshima K, Nakatomi R, Kose S, Hashikawa T, Tachibana T, Imamoto N.(2010)  
Live imaging system for visualizing nuclear pore complex (NPC) formation during interphase in mammalian cells.  
*Genes Cells*, 15, 647-660.

Oka M, Asally M, Yasuda Y, Ogawa Y, Tachibana T, and Yoneda Y.(2010)  
The mobile FG nucleoporin Nup98 is a cofactor for Crm1-dependent protein export  
*Mol. Biol. Cell*, 21, 1885-1896.

Kakehashi A, Kato A, Inoue M, Ishii N, Okazaki E, Wei M, Tachibana T, and Wanibuchi H. (2010)  
Cytokeratin 8/18 as a new marker of mouse liver preneoplastic lesions.  
*Toxicol. Appl. Pharmacol*. 242, 47-55

Jeong Y-H, Ishikawa K, Someya Y, Hosoda A, Yoshimi T, Yokoyama C, Kiryu-Seo S, Kang M-J, Tachibana T, Kiyama H, Fukumura T, Kim D-H and Saeki S. (2010)

Molecular characterization and expression of the low-density lipoprotein receptor-related protein-10, a new member of the LDLR gene family.

*Biochem. Biophys. Res. Commun.* 391, 1110-1115

Harada A, Ohkawa Y, Ao S, Odawara J, Okada S, Azuma M, Nishiyama Y, Nakamura M and Tachibana T. (2010)

Generation of a Rat Monoclonal Antibody Specific for MyoD.

*Hybridoma*, 29, 255-258.

Kotani M, Harada A, Tachibana T, Azuma M, Okada S, Nishiyama Y, Nakamura M, Ohkawa Y and Odawara J. (2010)

Production of a Rat Monoclonal Antibody Specific for Dhx9/NDHII/RHA.

*Hybridoma*, 29, 259-261.

Yokoyama C, Katoh-Fukui Y, Morohashi K, Konno D, Azuma M and Tachibana T. (2010)

Production and Characterization of Monoclonal Antibodies to Mouse Germ Cells.

*Hybridoma*, 29, 53-57.

Yoshimura S, Harada A, Odawara J, Azuma M, Okada S, Nakamura M, Ohkawa Y and Tachibana T. (2010)

Rat monoclonal antibody specific for the chromatin remodeling factor CHD1.

*Hybridoma*, 29, 237-240.

Tachibana T, Yoshimura S, Odawara J, Azuma M, Okada S, Nakamura M, Ohkawa Y and Harada, A. (2010)

Generation of a Rat Monoclonal Antibody Specific for CHD2.

*Hybridoma*, 29, 173-177.

Tachibana T, Okazaki E, Yoshimi T, Azuma M, Kakehashi A and Wanibuchi H. (2010)

Rat Monoclonal Antibody Specific for Septin 9.

*Hybridoma*, 29, 169-171.

Yoshimura S, Yoshimi T, Ohkawa Y, Azuma M and Tachibana T. (2010)

A Rat Monoclonal Antibody against the Chromatin Remodeling Factor, CHD5.

*Hybridoma*, 29, 63-66.

Nagoshi E, Sugino K, Kula E, Okazaki E, Tachibana T and Nelson S et al. (2010)

Gene expression dissection of the circadian neuronal circuit of Drosophila identifies novel circadian genes.

*Nature Neuroscience*, 13, 60-68.

## ■ 2009 年

Yokoyama C, Komatsu T, Ogawa H, Morohashi K, Azuma M and Tachibana T. (2009)

Generation of Rat Monoclonal Antibodies Specific for Ad4BP/SF-1.

*Hybridoma*, 28, 113-119.

Nakadate Y, Uchida K, Shikata K, Yoshimura S, Azuma M, Hirata T, Konishi H, Kiyama H and Tachibana T. (2009)

The formation of argpyrimidine, a methylglyoxal-arginine adduct, in the nucleus of neural cells.

*Biochem. Biophys. Res. Commun.* 378, 209-212.

Nakadate Y, Mizuguchi C, Azuma M and Tachibana T. (2009)  
Generation of a Rat Monoclonal Antibody Specific for Glyoxalase I.  
*Hybridoma*, 28, 447-450.

Ohkawa Y, Harada A, Nakamura M, Yoshimura S and Tachibana T.(2009)  
Production of a Rat Monoclonal Antibody against BRG1.  
*Hybridoma*, 28, 463-466

## ■ 2008 年

Tachibana T, Sakaguchi N, Miyamoto Y, Sekimoto T, Yoneda Y and Azuma M. (2008)  
Generation and characterization of a monoclonal antibody against NPI-1 subfamily of importin alpha.  
*Hybridoma*, 27, 285-289.

Shima Y, Zubair M, Komatsu T, Oka S, Yokoyama C, Tachibana T, Hjalt TA, Drouin J, Morohashi KI. (2008)  
Pitx2 regulates Ad4BP/SF-1 gene transcription in the pituitary gonadotrope through interaction with the intronic enhancer.  
*Mol. Endocrinol.* 22, 1633-1646.

Islam NN, Igarashi K, Tachibana T, Ooshima H, and Azuma M.(2008)  
Synthesis and degradation of acyl peptide using enzyme from *Pseudomonas aeruginosa*.  
*J. Biosci. Bioeng.* 105282-287.

Hieda M, Isokane M, Koizumi M, Higashi C, Tachibana T, Shudou M, Taguchi T, Hieda Y and Higashiyama S. (2008)  
Membrane-anchored growth factor, HB-EGF, on the cell surface targeted to the inner nuclear membrane.  
*J. Cell. Biol.* 180, 763-769.

Katahira J, Miki T, Takano K, Maruhashi M, Uchikawa M, Tachibana T and Yoneda Y. (2008)  
Nuclear RNA Export Factor 7 is localized in processing bodies and neuronal RNA granules through interactions with shuttling hnRNPs.  
*Nucleic Acids Res.* 36, 616-628.

## ■ 2007 年

Konishi H, Namikawa K, Shikata K, Kobatake Y, Tachibana T and Kiyama H. (2007)  
Identification of peripherin as a novel AKT substrate in neurons.  
*J. Biol. Chem.* 282, 23491-23499.

Azuma H, Ijichi S, Kataoka M, Masuda A, Izumi T, Yoshimoto T and Tachibana T (2007)  
Short -chain 3-ketoceramides, strong apoptosis inducers against human leukemia HL-60 cells.  
*Bioorg. Med. Chem.* 15, 2860-2867.

Ohkawa Y, Yoshimura S, Higashi C, Marfella CG, Dacwag CS, Tachibana T and Imbalzano AN. (2007)  
Myogenin and the SWI/SNF atpase BRG1 maintain myogenic gene expression at different stages of skeletal myogenesis.  
*J. Biol. Chem.* 282, 6564-6570.

## ■ 2006 年

Maeshima K, Yahata K, Sasaki Y, Nakatomi R, Tachibana T, Hashikawa T, Imamoto F and Imamoto N. (2006)

Cell cycle-dependent dynamics of nuclear pore: pore-free islands and lamins.

*J. Cell Sci.* 119, 4442-4451.

Kiryu-Seo S, Gamo K, Tachibana T, Tanaka K and Kiyama H. (2006)

Unique anti-apoptotic activity of EAAC1 in injured motor neurons.

*EMBO J.* 25, 3411-3421.

Uchimura Y, Ichimura T, Uwada J, Tachibana T, Sugahara S, Nakao, M. and Saitoh, H. (2006)

Involvement of SUMO modification in MBD1- and MCAF1-mediated heterochromatin formation.

*J. Biol. Chem.* 281, 23180-23190.

de la Serna I L, Ohkawa Y, Higashi C, Dutta C, Osias J, Nommajosyula N, Tachibana T and Imbalzano A N (2006)

The microphthalmia-associated transcription factor (MITF) requires SWI/SNF enzymes to activate melanocyte specific genes.

*J. Biol. Chem.* 281, 20233-20241.

Saitoh N, Uchimura Y, Tachibana T, Sugahara S, Saitoh H and Nakao M. (2006)

In situ SUMOylation analysis reveals a modulatory role of RanBP2 in the nuclear rim and PML bodies.

*Exp. Cell Res.* 312, 1418-1430.

Fukuhara T, Sakaguchi N, Katahira J, Yoneda Y, Ogino K and Tachibana T. (2006)

Functional Analysis of the Nuclear Pore Complex Protein Nup62/p62 Using Monoclonal Antibodies. *Hybridoma*, 25, 51-59.

中立裕介、立花太郎

「翻訳後修飾因子としてのメチルグリオキサールの機能」

タンパク質の翻訳後修飾と疾患プロテオミクス：生活習慣病バイオマーカーの探索

2006 診断と治療社

立花太郎

「ラットモノクローナル抗体作製法

～ラット腸骨リンパ節を用いた迅速かつ高効率な抗体作製法～」

生命化学研究レター No.21 2006 日本化学会生命化学研究会

## ■ 2005 年

Azuma H, Miyasaka K, Yokotani T, Tachibana T, Kojima-Yuasa A, Matsui-Yuasa I, and Ogino K. (2005)

Lipase-catalyzed Preparation of Optically Active 1'-Acetoxychavicol Acetates and their Structure-Activity Relationships in Apoptotic Activity against Human Leukemia HL-60 Cells.

*Bioorg. Med. Chem.* 14, 1811-1818.

Fukuhara T, Ozaki T, Shikata K, Katahira J, Yoneda Y, Ogino K, and Tachibana T. (2005)

Specific Monoclonal Antibody against Nuclear Pore Complex protein, Nup98.

*Hybridoma*, 24, 244-247.

Tatematsu K, Yoshimoto N, Koyanagi T, Tokunaga C, Tachibana T, Yoneda Y, Yoshida M, Okajima T, Tanizawa K, Kuroda S. (2005)

Nuclear-cytoplasmic shuttling of a RING-IBR protein RBCK1 and its functional interaction with nuclear body proteins.

*J. Biol. Chem.* 280, 22937-22944

Ushijima R, Sakaguchi N, Kano A, Maruyama A, Miyamoto Y, Sekimoto T, Yoneda Y, Ogino K, Tachibana T. (2005)

Extracellular signal-dependent nuclear import of STAT3 is mediated by various importin alphas.

*Biochem. Biophys. Res. Commun.* 330, 880-886.

Fujii R, Okabe S, Urushido T, Inoue K, Yoshimura A, Tachibana T, Nishikawa T, Hicks GG and Takumi T. (2005)

The RNA Binding Protein TLS Is Translocated to Dendritic Spines by mGluR5 Activation and Regulates Spine Morphology.

*Curr. Biol.* 15, 587-593.

Nagasaki T, Kawazu T, Tachibana T, Tamagaki S and Shinkai, S. (2005)

Enhanced nuclear import and transfection efficiency of plasmid DNA using streptavidin-fused importin-beta.

*J. Control Release.* 103, 199-207.

## ■ 2004 年

Niuro H, Azuma H, Tanago S, Matsumura K, Shikata K, Tachibana T and Ogino K. (2004)

(3Z)-2-Acetylamino-3-octadecan-1-ol as a potent apoptotic agent against HL-60 cells.

*Bioorg. Med. Chem.* 12, 45-51.

Kamikubo Y, Sakaguchi N, Shikata K, Furuta M, Miyamoto Y, Imamoto N, Yoneda Y, Ogino K and Tachibana T. (2004)

Specific monoclonal antibody against nuclear import factor, importin alpha1/Rch1.

*Hybridoma and Hybridomics*, 23, 301-304.

## ■ 2003 年

Azuma H, Takao R, Shikata K, Niuro H, Tachibana T and Ogino K. (2003)

Synthesis and potent antileukemic activities of N-Lactyl-sphingosine and N-Lactyl-dihydrosphingosine.

*J. Med. Chem.* 46, 3445-3447.

Shikata K, Niuro H, Azuma H, Ogino K and Tachibana T. (2003)

Apoptotic activities of C2-ceramide and C2-dihydroceramide homologues against HL-60 cells.

*Bioorg. Med. Chem.* 11, 2723-2728.

Azuma H, Takao R, Niuro H, Shikata K, Tamagaki S, Tachibana T and Ogino K. (2003)

Total syntheses of Symbioramide derivatives from L-serine and their antileukemic activities.

*J. Org. Chem.* 68, 2790-2797.

Shikata K, Niuro H, Azuma H, Tachibana T and Ogino K. (2003)

Synthesis of non-natural C2-homo-ceramide and its apoptotic activity against HL-60 cells.

*Bioorg. Med. Chem. Lett.* 13, 613-616

Sakaguchi N, Miyamoto Y, Yoneda Y, Ogino K and Tachibana T. (2003)

Generation of a rat monoclonal antibody specific for importin alpha3/Qip1.

*Hybridoma and Hybridomics*, 22, 397-400.

Nagasaki T, Myohoji T, Tachibana T, Futaki S and Tamagaki S.(2003)

Can nuclear localization signals enhance nuclear localization of plasmid DNA.

*Bioconjug.Chem.* 14, 282-286.

## ■ 2002 年

Shikata K, Azuma H, Tachibana T and Ogino K.(2002)

Synthesis of novel and non-natural ceramide analogues derived from L-glutamic acid.

*Tetrahedron*, 58, 5803-5809.

Hiroaki Y, Nishikawa K, Mitsuoka K, Tachibana T, Sobue K, Doi T and Fujiyoshi Y. (2002)

A new technique to co-localise membrane proteins with Homer/vesl.

*Biochem. Biophys. Res. Commun.*, 295, 756-765.

## ■ 2001 年

Hieda M, Tachibana T, Fukumoto M, and Yoneda Y. (2001)

Nuclear import of the U1A spliceosome protein is mediated by importin alpha /beta and ran in living mammalian cells.

*J. Biol. Chem.* 276, 16824-16832.

## ■ 2000 年

Tanabe K, Tachibana T, Yamashita T, Yong Ho Che, Yoneda Y, Ochi T, Tohyama M , Yoshikawa, H. and Kiyama H. (2000)

The small GTP-binding protein TC10 promotes nerve elongation in neuronal cells, and its expression is induced during nerve regeneration in rats.

*J. Neurosci.* 20, 4138-4144.

Tachibana T \*, Hieda M, Miyamoto Y, Kose S, Imamoto N and Yoneda Y. (2000)

Recycling of importin-alpha from the nucleus is suppressed by loss of RCC1 function in living mammalian cells.

*Cell Struc. Func.* 25, 115-123. (\*CSF Award.)

Matsubae M, Kurihara T, Tachibana T, Imamoto N and Yoneda Y. (2000)

Characterization of the nuclear transport of a novel leucine-rich acidic nuclear protein-like protein.

*FEBS Lett.* 468, 171-175.

Ikuta T, Tachibana T, Watanabe J, Yoshida M, Yoneda Y and Kawajiri K. (2000)

Nucleocytoplasmic shuttling of the aryl hydrocarbon receptor.

*J.Biochem.* 127,503-509.

## ■ 1999 年

Tadokoro S, Tachibana T, Imanaka T, Nishida W and Sobue K. (1999)

Involvement of unique leucine-zipper motif of PSD-Zip45(Homer 1c/vesl-1L) in group 1 metabotropic glutamate receptor clustering.

*Proc. Natl. Acad. Sci. USA*, 96, 13801-13806.

Tachibana T \*, Hieda M \*, Yokoya F, Kose S, Imamoto N and Yoneda Y. (1999)

A monoclonal antibody to the C-terminal acidic portion of Ran inhibits both recycling of Ran and nuclear protein import in living

cells.

*J. Cell Biol.* 144, 645-655. (\*Both authors made equal contribution.)

Tachibana T, Hieda M and Yoneda Y. (1999)

Up-regulation of nuclear protein import by nuclear localization signal sequences in living cells.

*FEBS Lett.* 442, 235-240.

Yokoya F, Imamoto N, Tachibana T and Yoneda Y. (1999)

b-Catenin can be transported into the nucleus in a Ran-unassisted manner.

*Mol. Biol. Cell*, 10, 1119-1131.

Kose S, Imamoto N, Tachibana T, Yoshida M and Yoneda Y.(1999)

b-Subunit of nuclear pore-targeting complex (Importin-b) can be exported from the nucleus in a Ran-unassisted manner.

*J. Biol. Chem.* 274,3946-3952.

Kikuchi N, Gohshi T, Kawahire S, Tachibana T, Yoneda Y, Isobe T, Lim CR, Kohno K, Ichimura T, Omata S and Horigome T. (1999)

Molecular Shape and ATP Binding Activity of Rat p50, a Putative Mammalian Homologue of RuvB DNA Helicase.

*J. Biochem.* 125, 487-494.

## ■ 1998 年

Yamada M, Tachibana T, Imamoto N and Yoneda Y. (1998)

Nuclear transport factor p10/NTF2 functions as a Ran-GDP dissociation inhibitor (Ran-GDI).

*Curr. Biol.*, 8, 1339-1342.

Ikuta T, Eguchi H, Tachibana T, Yoneda Y and Kawajiri K. (1998)

Nuclear localization and export signals of the human aryl hydrocarbon receptor.

*J. Biol. Chem.*, 273, 2895-2904.

## ■ 1997 年

Miyamoto Y, Imamoto N, Sekimoto T, Tachibana T, Seki T, Tada S, Enomoto T and Yoneda,Y. (1997)

Differential modes of nuclear localization signal (NLS) recognition by three distinct classes of NLS receptors.

*J.Biol.Chem.*, 272, 26375-26381.

Kose S, Imamoto N, Tachibana T, Shimamoto T and Yoneda Y. (1997)

Ran-unassisted nuclear migration of a 97-kD component of nuclear pore-targeting complex.

*J. Cell Biol.*, 139, 841-849.

Eguchi H, Ikuta T, Tachibana T, Yoneda Y and Kawajiri K. (1997)

A nuclear localization signal of human aryl hydrocarbon receptor nuclear translocator/hypoxia-inducible factor 1beta is a novel bipartite type recognized by the two components of nuclear pore-targeting complex.

*J. Biol. Chem.*, 272, 17640-17647.

Yasuhara N, Eguchi Y, Tachibana T, Imamoto N, Yoneda Y and Tsujimoto Y. (1997)

Essential role of active nuclear transport in apoptosis.

*Genes to Cells*, 2, 55-64.

## ■ 1996 年

Kawahire S, Tachibana T, Umemoto M, Yoneda Y, Imai N, Saito S, Ichimura T, Omata S and Horigome T. (1996)

Subcellular distribution and phosphorylation of the nuclear localization signal binding protein.

*Exp. Cell Res.*, 222, 385-394.

Tachibana T, Hieda M, Sekimoto T and Yoneda Y. (1996)

Exogenously injected nuclear import factor p10/NTF2 inhibits signal-mediated nuclear import and export of proteins in living cells.

*FEBS Lett.*, 397, 177-182.

Sekimoto T, Nakajima K, Tachibana T, Hirano T and Yoneda Y. (1996)

Interferon-gamma-dependent nuclear import of Stat1 is mediated by the GTPase activity of Ran/TC4.

*J. Biol. Chem.*, 271, 31017-31020.

## ■ 1995 年

Imamoto N, Shimamoto T, Kose S, Takao T, Tachibana T, Matsubae M, Sekimoto T, Shimonishi Y and Yoneda Y. (1995)

Nuclear pore-targeting complex binds to nuclear pore after association with a karyophile.

*FEBS Lett.*, 368, 415-419.

Imamoto N, Shimamoto T, Takao T, Tachibana T, Matsubae M, Kose S, Sekimoto T, Shimonishi Y and Yoneda Y. (1995)

In vivo evidence for involvement of a 58kDa component of nuclear pore-targeting complex in nuclear protein import.

*EMBO J.*, 14, 3617-3626.

Imamoto N, Tachibana T, Matsubae M and Yoneda Y. (1995)

A karyophilic protein forms a stable complex with cytoplasmic components prior to nuclear pore binding.

*J. Biol. Chem.*, 270, 8559-8565.

Fukuda M, Gotoh Y, Tachibana T, Dell K, Hattori S, Yoneda Y and Nishida E. (1995)

Induction of neurite outgrowth by MAP kinase in PC12 cells.

*Oncogene*, 11, 239-244.

Uehara K, Tachibana T, Tsunooka M and Ozaki Y. (1995)

Interconversion of bacteriochlorophyll c aggregates in solid films upon organic vapor treatment.

*Photochem. Photobiol.*, 62, 496-501.

## ■ 1994 年

Tachibana T, Imamoto N, Seino H, Nishimoto T and Yoneda Y. (1994)

Loss of RCC1 leads to the suppression of nuclear protein import in living cells.

*J. Biol. Chem.*, 269, 24542-24545.

## ■ 1992 年



Uehara K, Tachibana T, Ozaki Y and Tsunooka M. (1992)

Structure and interconversion of bacteriochlorophyll c aggregates in solid films.

*Research in Photosynthesis*, 1:85-88.