Publication List

Takeshi Oota

- [1] Hiroshi Itoyama and Takeshi Oota, Neutral Excitations and Others in the Sine-Gordon Theory, Progress of Theoretical Physics Supplement No.114 (1993) 41-51.
- [2] H. Itoyama and T. Oota, Sine-Gordon theory with higher-spin N=2 supersymmetry and the massless limit, Nuclear Physics **B419** (1994) 632-646.
- [3] Takeshi Oota, Functional equations of form factors for diagonal scattering theories, Nuclear Physics **B466** (1996) 361-382.
- [4] N. Fumita, H. Itoyama and T. Oota, Motions of the string solutions in the XXZ spin chain under a varying twist, International Journal of Modern Physics A12 (1997) 801-838.
- [5] Vladimir E. Korepin and Takeshi Oota, Scattering of plane waves in self-dual Yang-Mills theory, Journal of Physics A29 (1996) L625-L628.
- [6] Vladimir E. Korepin and Takeshi Oota, Relation between Classical Self-Dual Yang-Mils Equation and Quantum Inverse Scattering Method, in Eds. E. Date, T. Miwa and M. Okado, INFINITE ANALYSIS, Integrable Systems and Representation Theory, IIAS Reports No.1997-001 (1997) 59-69.
- [7] Takeshi Oota, q-deformed Coxeter element in non-simply laced affine Toda field theories, Nuclear Physics **B504** (1997) 738-752.
- [8] Vladimir E. Korepin and Takeshi Oota, The Determinant Representation for a Correlation Function in Scaling Lee-Yang Model, Journal of Physics A31 (1998) L371-L380.
- [9] Takeshi Oota, Two-point correlation functions in perturbed minimal models, Journal of Physics A31 (1998) 7611-7626.
- [10] Masafumi Fukuma, Takeshi Oota and Hirokazu Tanaka, Comments on T-dualities of Ramond-Ramond Potentials, Progress of Theoretical Physics 103 (2000) 425-446.
- [11] Masafumi Fukuma, Takeshi Oota and Hirokazu Tanaka, Weyl Groups in AdS_3/CFT_2 , Progress of Theoretical Physics **103** (2000) 447-462.
- [12] H. Itoyama and T. Oota, Normalization of off-shell boundary state, g-function and zeta function regularization, Journal of Physics A35 (2002) 9395-9414.

- [13] Takeshi Oota, Quantum projectors and local operators in lattice integrable models, Journal of Physics A37 (2004) 441-452.
- [14] Takeshi Oota, Comments on Equations of Motion for Pure Spinors in Even Dimensions, preprint hep-th/0411036.
- [15] Takeshi Oota and Yukinori Yasui, *Toric Sasaki-Einstein manifolds and Heun equations*, Nuclear Physics **B742** (2006) 275-294.
- [16] Takeshi Oota and Yukinori Yasui, Explicit toric metric on resolved Calabi-Yau cone, Physics Letters **B639** (2006) 54-56.
- [17] Takeshi Oota and Yukinori Yasui, New Example of Infinite Family of Quiver Gauge Theories, Nuclear Physics **B762** (2007) 377-391.
- [18] H. Itoyama and T. Oota, The $AdS_5 \times S^5$ superstrings in the generalized light-cone gauge, Progress of Theoretical Physics 117 (2007) 957-972.
- [19] Naoki Hamamoto, Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, Kerr-NUTde Sitter Curvature in All Dimensions, Journal of Physics A: Mathematical and Theoretical 40 (2007) F177-F184.
- [20] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, Closed conformal Killing-Yano tensor and geodesic integrability, Journal of Physics A: Mathematical and Theoretical 41 (2008) 025204.
- [21] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, Closed conformal Killing-Yano tensor and Kerr-NUT-de Sitter spacetime uniqueness, Physics Letters **B656** (2007) 214-216.
- [22] Takeshi Oota and Yukinori Yasui, Separability of Dirac equation in higher dimensional Kerr-NUT-de Sitter spacetime, Physics Letters **B659** (2008) 688-693.
- [23] Hiroshi Itoyama, Takeshi Oota and Reiji Yoshioka, Nambu-Goto Like Action for the $AdS_5 \times S^5$ Superstrings in the Generalized Light-Cone Gauge, Progress of Theoretical Physics 119 (2008) 323-338.
- [24] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, Generalized Kerr-NUT-de Sitter metrics in all dimensions, Physics Letters **B666** (2008) 391-394.
- [25] Tsuyoshi Houri, Takeshi Oota and Yukinori Yasui, Closed conformal Killing-Yano tensor and uniqueness of generalized Kerr-NUT-de Sitter spacetime, Classical and Quantum Gravity 26 (2009) 045015 (18pp), arXiv:0805.3877 [hep-th].

- [26] Takeshi Oota and Yukinori Yasui, Separability of gravitational perturbation in generalized Kerr-NUT-de Sitter spacetime, International Journal of Modern Physics A. 15 (2010) 3055-3094, arXiv:0812.1623[hep-th].
- [27] Hiroshi Itoyama, Kazunobu Maruyoshi and Takeshi Oota, *The Quiver Matrix Model and 2d-4d Conformal Connection*, Progress of Theoretical Physics **123** (2010) 957-987, arXiv:0911.4244[hep-th].
- [28] Hiroshi Itoyama and Takeshi Oota, Method of Generating q-Expansion Coefficients for Conformal Block and $\mathcal{N}=2$ Nekrasov Function by β -Deformed Matrix Model, Nuclear Physics B 838 [PM] (2010) 298-330, arXiv:1003.2929 [hep-th].
- [29] Hiroshi Itoyama, Takeshi Oota and Nobuhiro Yonezawa, Massive Scaling Limit of β-Deformed Matrix Model of Selberg Type, Physical Review D 82, 085031 (2010), arXiv:1008.1861 [hep-th].
- [30] Hiroshi Itoyama and Takeshi Oota, " $A_n^{(1)}$ Affine Quiver Matrix Model," Nuclear Physics B **852** (2011) 336-351, arXiv:1106.1539 [hep-th].
- [31] Takeshi Oota, " β -deformed matrix models and Nekrasov partition function," preprint, to appear in Internal Journal of Modern Physics: Conference Series.
- [32] Takeshi Oota and Yukinori Yasui, "Comments on Gravitational Perturbation of Higher Dimensional Rotating Black Holes: Charged Harmonics on $\mathbb{C}P^n$, in preparation.