

論文リスト

(1) "*Inequivalent Quantizations of the $N = 3$ Calogero model with Scale and Mirror- S_3 Symmetry,*"

米澤信拓 (Nobuhiro Yonezawa), 筒井泉 (Izumi Tsutsui),
J. Math. Phys. **47** (2006) 012104,
arXiv: hep-th/0510106.

(2) "*Exchange Symmetry and Multipartite Entanglement,*"

市川翼 (Tsubasa Ichikawa), 佐々木寿彦 (Toshihiko Sasaki), 筒井泉 (Izumi Tsutsui), 米澤信拓 (Nobuhiro Yonezawa)
Phys. Rev. **A78** (2008) 052105,
arXiv: 0805.3625.

(3) "*Finite Size Effects in Equations of State under non-trivial Boundary Conditions,*"

米澤信拓 (Nobuhiro Yonezawa),
Prog. Theor. Phys. **123** (2009) 35.
arXiv: 0904.1134.

(4) "*Massive Scaling Limit of beta-Deformed Matrix Model of Selberg Type,*"

糸山浩 (Hiroshi Itoyama), 大田 武志 (Takeshi Oota), 米澤信拓 (Nobuhiro Yonezawa),
Phys. Rev. **D82** (2010) 085031,
arXiv: 1008.1861.

(5) " *ϵ -Corrected Seiberg-Witten Prepotential Obtained From Half Genus Expansion in beta-Deformed Matrix Model,*"

糸山浩 (Hiroshi Itoyama), 米澤信拓 (Nobuhiro Yonezawa),
Int. J. Mod. Phys. **A26** (2011) 3439-3467,
arXiv: 1104.2738.

(6) "*Baxter's T-Q equation, $SU(N)/SU(2)^{N-3}$ correspondence and Ω -deformed Seiberg-Witten prepotential,*"

宗行 賢二 (Kenji Muneyuki), 戴大盛 (Ta-Sheng Tai), 米澤信拓 (Nobuhiro Yonezawa), 吉岡礼治 (Reiji Yoshioka),
JHEP **1109** (2011) 125,
arXiv: 1107.3756.

(7) "*Equation of state for the one-dimensional attractive δ -potential Bose gas in the weak-coupling regime,*"

市川翼 (Tsubasa Ichikawa), 筒井泉 (Izumi Tsutsui), 米澤信拓 (Nobuhiro Yonezawa),
Phys. Rev. **A 86** (2012) 015602,
arXiv: 1204.4081.

Publication List

(1) *"Inequivalent Quantizations of the $N = 3$ Calogero model with Scale and Mirror- S_3 Symmetry,"*

Nobuhiro Yonezawa, Izumi Tsutsui,
J. Math. Phys. **47** (2006) 012104,
arXiv: hep-th/0510106.

(2) *"Exchange Symmetry and Multipartite Entanglement,"*

Tsubasa Ichikawa, Toshihiko Sasaki, Izumi Tsutsui, Nobuhiro Yonezawa
Phys. Rev. **A78** (2008) 052105,
arXiv: 0805.3625.

(3) *"Finite Size Effects in Equations of State under non-trivial Boundary Conditions,"*

Nobuhiro Yonezawa,
Prog. Theor. Phys. **123** (2009) 35.
arXiv: 0904.1134.

(4) *"Massive Scaling Limit of beta-Deformed Matrix Model of Selberg Type,"*

Hiroshi Itoyama, Takeshi Oota, Nobuhiro Yonezawa,
Phys. Rev. **D82** (2010) 085031,
arXiv: 1008.1861.

(5) *" ϵ -Corrected Seiberg-Witten Prepotential Obtained From Half Genus Expansion in beta-Deformed Matrix Model,"*

Hiroshi Itoyama, Nobuhiro Yonezawa,
Int. J. Mod. Phys. **A26** (2011) 3439–3467,
arXiv: 1104.2738.

(6) *"Baxter's T-Q equation, $SU(N)/SU(2)^{N-3}$ correspondence and Ω -deformed Seiberg-Witten prepotential,"*

Kenji Muneyuki, Ta-Sheng Tai), Nobuhiro Yonezawa, Reiji Yoshioka,
JHEP **1109** (2011) 125,
arXiv: 1107.3756.

(7) *"Equation of state for the one-dimensional attractive δ -potential Bose gas in the weak-coupling regime,"*

Tsubasa Ichikawa, Izumi Tsutsui, Nobuhiro Yonezawa,
Phys. Rev. **A 86** (2012) 015602,
arXiv: 1204.4081.