

- [1] “A-D hypersurface of $su(n)$ $\mathcal{N} = 2$ supersymmetric gauge theory with $N_f = 2n - 2$ flavors” H. Itoyama, T. Oota, R. Yoshioka, arXiv:2212.06590 [hep-th]
- [2] “Construction of irregular conformal/W block and flavor mass relations of $\mathcal{N} = 2$ gauge theory from the A_{n-1} quiver matrix model” H. Itoyama, T. Oota, R. Yoshioka, arXiv:2210.16738 [hep-th]
- [3] “Review on the Operator/Feynman diagram/Dessins d’enfant Correspondence in Tensor Model” H. Itoyama, A. Mironov, A. Morozov, R. Yoshioka Int.J.Mod.Phys.A 37 (2022) 03, 2130019, arXiv:2109.05245 [hep-th]
- [4] “Correspondence between Feynman diagrams and operators in quantum field theory that emerges from tensor model” N. Amburg, H. Itoyama, A. Mironov, A. Morozov, D. Vasiliev, R. Yoshioka, Eur. Phys. J. C **80** (2020) 5, 471, arXiv:1911.10574 [hep-th]
- [5] “Generalized cut operation associated with higher order variation in tensor models” H. Itoyama, R. Yoshioka, Nucl.Phys. B **945** (2019) 114681, arXiv:1903.10276 [hep-th]
- [6] “Elliptic algebra, Frenkel-Kac construction and root of unity limit” H. Itoyama, T. Oota, R. Yoshioka, J. Phys. A **50** (2017) no.36, 365401.
- [7] “Cubic constraints for the resolvents of the ABJM matrix model and its cousins” H. Itoyama, T. Oota, T. Suyama, R. Yoshioka, Int. J. Mod. Phys. A **32** (2017) no.11, 1750056 .
- [8] “ q -Vertex Operator from 5D Nekrasov Function” H. Itoyama, T. Oota, R. Yoshioka, J. Phys. A **49** (2016) no.34, 345201.
- [9] “The integral representation of solutions of KZ equation and a modification by K operator insertion” R. Yoshioka, arXiv:1512.01084 [hep-th].
- [10] “Developments of theory of effective prepotential from extended Seiberg-Witten system and matrix models” H. Itoyama, R. Yoshioka, Prog. Theor. Exp. Phys. (2015) **11B103**.
- [11] “ q -Virasoro/W Algebra at Root of Unity and Parafermions” H. Itoyama, T. Oota, R. Yoshioka Nucl. Phys. B **889** (2014) 25-35.
- [12] “ q -Virasoro algebra at root of unity limit and 2d-4d connection” H. Itoyama, T. Oota, R. Yoshioka, J. Phys. Conf. Ser. **474** (2013) 012022.
- [13] “2d-4d connection between q -Virasoro/W block at root of unity limit and instanton partition function on ALE space” H. Itoyama, T. Oota and R. Yoshioka, Nucl. Phys. B **877** (2013) 506-537.
- [14] “On non-stationary Lamé equation from WZW model and spin-1/2 XYZ chain T. Tai, R. Yoshioka, JHEP **06** (2012) 121.
- [15] “Baxter’s T-Q equation, $SU(N) = SU(2)^{N-3}$ correspondence and Ω -deformed Seiberg-Witten prepotential.” K. Muneyuki, T. Tai, N. Yonezawa, R. Yoshioka, JHEP **09** 125, 2011.
- [16] “Effects of Matrix Orientifolding to Two-Loop Effective Action of Bosonic IIB Matrix Model.” R. Yoshioka, arXiv:1009.1695 [hep-th].
- [17] “Orientifolded Matrices and Supersymmetries that Give Rise to Spacetime Directional Asymmetry of Effective Interactions.” H. Itoyama, R. Yoshioka, Nucl. Phys. B **823**: 254-268, 2009.
- [18] “Nambu-Goto Like Action for the $AdS_5 \times S^5$ Superstrings in the Generalized Light-Cone Gauge.” H. Itoyama, T. Oota, R. Yoshioka, Prog. Theor. Phys. **119**: 323-338, 2008.
- [19] “Partition functions of reduced matrix models with classical gauge groups.” H. Itoyama, H. Kihara, R. Yoshioka, Nucl. Phys. B **762**: 285-300, 2007.
- [20] “Matrix orientifolding and models with four or eight supercharges.” H. Itoyama, R. Yoshioka, Phys. Rev. D **72**: 126005, 2005.