

List of papers (Minoru Tabata)

[87] Minoru Tabata, Nobuoki Eshima, Approximation of a Continuous Core-periphery Model by Core-periphery Models with a Large Number of Small Regions, *Networks and Spatial Economics*, 2023, 23(1), pp. 223–283, Springer DOI: 10.1007/s11067-022-09580-x

[86] Nobuoki Eshima, Claudio Giovanni Borroni, Minoru Tabata, Takeshi Kurosawa, An Entropy-Based Tool to Help the Interpretation of Common-Factor Spaces in Factor Analysis, *Entropy* 2021, 23(2), 140; DOI: 10.3390/e23020140

[85] Minoru Tabata, Nobuoki Eshima, Approximation of Short-Run Equilibrium of the N-Region Core-Periphery Model in an Urban Setting. In: Smith F., Dutta H., Mordeson J. (eds) *Mathematics Applied to Engineering, Modelling, and Social Issues. Studies in Systems, Decision and Control*, vol 200. Springer, Cham (2019) DOI: 10.1007/978-3-030-12232-4_17

[84] Minoru Tabata, Nobuoki Eshima, Application of the Brouwer and the Kakutani fixed-point theorems to a discrete equation with a double singular structure, *Fixed Point Theory and Applications*, Springer, (2018), <https://doi.org/10.1186/s13663-018-0649-9>

[83] Nobuoki, Eshima, Minoru Tabata, Claudio Giovanni Borroni, An Entropy-Based Approach for Measuring Factor Contributions in Factor Analysis Models, *Entropy*, 2018, 20(9), 634; <https://doi.org/10.3390/e20090634>

[82] M. Tabata and N. Eshima, Existence of a short-run equilibrium of the Dixit-Stiglitz-Krugman model, *Discrete Dynamics in Nature and Society*, Volume 2018 (2018), Article ID 2193070, <https://doi.org/10.1155/2018/2193070>

[81] Minoru Tabata, Nobuoki Eshima, Keiko Kanenoo, Ichiro Takagi, A stochastic agent-based approach to interregional migration in quantitative sociodynamics, *Mathematical Research Summaries*, 2017, 2, pp. 111

[80] M. Tabata and N. Eshima, Existence and uniqueness of solutions to the wage equation of Dixit-Stiglitz-Krugman model with no restriction on transport costs, *Discrete Dynamics in Nature and Society*, Volume 2017 (2017), Article ID 9341502, 7 pages, doi: 10.1155/2017/9341502

[79] Nobuoki Eshima, Claudio Giovanni Borroni, and Minoru Tabata, Relative-importance assessment of explanatory variables in generalized linear models: an entropy-based approach, *Statistica & Applicazioni, Vita e Pensiero - Pubblicazioni dell'Universita Cattolica del Sacro*

Cuore, Vol. XIV no. 2 (2016).

[78] M. Tabata and N. Eshima, Convergence of global solutions to the Cauchy problem for the replicator equation in spatial economics, *Discrete Dynamics in Nature and Society*, Volume 2016 (2016), Article ID 4021516, 8 pages, doi: 10.1155/2016/4021516

[77] Nobuoki, Eshima, Minoru Tabata, Claudio Giovanni Borroni, Yutaka Kano, An entropy-based approach to path analysis of structural generalized linear models: a basic idea, *Entropy* 07/2015; 17(7):5117-5132. doi:10.3390/e17075117

[76] M. Tabata and N. Eshima, A population explosion in an evolutionary game in spatial economics: Blow up radial solutions to the initial value problem for the replicator equation whose growth rate is determined by the continuous Dixit-Stiglitz-Krugman model in an urban setting, *Nonlinear Analysis Series B: Real World Applications*, Elsevier Science, Vol 23 C, pp. 26-46, June, 2015

[75] M. Tabata, N. Eshima, and Y. Sakai, Existence and computation of solutions to the initial value problem for the replicator equation of evolutionary game defined by the Dixit-Stiglitz-Krugman model in an urban setting: Concentration of workers motivated by disparity in real wages, *Applied Mathematics and Computation*, Elsevier, Vol. 245C, (2015), pp. 419-451.

[74] M. Tabata, N. Eshima, Y. Kiyonari, and I. Takagi, The existence and uniqueness of short-run equilibrium of the Dixit-Stiglitz-Krugman model in an urban-rural setting, *IMA Journal of Applied Mathematics*, Oxford University Press, vol. 80, issue 2, pp. 474-493, 2015.

[73] M. Tabata and N. Eshima, The existence and uniqueness of global solutions to the initial value problem for the system of nonlinear integro-partial differential equations in spatial economics: The dynamic continuous Dixit-Stiglitz-Krugman model in an urban-rural setting, *Abstract and Applied Analysis*, 2015, the special issue "Advances on Integrodifferential Equations and Transforms" Vol. 2015, Article ID 760136, 12 pages, 2015. doi:10.1155/2015/760136

[72] M. Tabata, N. Eshima, and Y. Sakai, Existence, uniqueness, and computation of short-run and long-run equilibria of the Dixit–Stiglitz–Krugman model in an urban setting, *Applied Mathematics and Computation*, Elsevier, Vol. 234, 15 May 2014, pp. 339-355

[71] M. Tabata, N. Eshima, and I. Takagi, A Mathematical-Modeling Approach to Urbanization

Caused by Migration, in "Urbanization: Global Trends, Role of Climate Change and Effects on Biodiversity", Nova Science Publishers, Inc. Pub. Date: 2014 - 1st Quarter, Pages: 6x9 - (NBC-R) ISBN: 978-1-63117-063-8

[70] M. Tabata, N. Eshima, Keiko Kanenoo, and I. Takagi, A Stochastic Agent-Based Approach to Interregional Migration in Quantitative Sociodynamics, "Mathematical Modelling in Social Sciences and Engineering", Nova Science Publishers, Inc. 2014 Pub. Date: 2014 - 2nd Quarter, Pages: 7x10 - (NBC-C) ISBN: 978-1-63117-335-6

[69] M. Tabata, N. Eshima, Yuusuke Sakai, and I. Takagi, An extension of Krugman's core-periphery model to the case of a continuous domain: Existence and uniqueness of solutions of a system of nonlinear integral equations in spatial economics, *Nonlinear Analysis Series B: Real World Applications*, 14 (2013) pp. 2116-2132, Elsevier Science,

[68] N. Eshima, M. Tabata, Tetsuji Ohyama, Path Analysis for Recursive Generalized Linear Model Systems, *Proceedings Conference: 2011 World Statistics Congress, At Dublin, Volume: CPS053 Path Analysis for Recursive Generalized Linear Model Systems*

[67] M. Tabata, N. Eshima, and I. Takagi, A mathematical modeling approach to the formation of urban and rural areas: Convergence of global solutions of the mixed problem for the master equation in sociodynamics. *Nonlinear Analysis Series B: Real World Applications*, Elsevier Science, Amsterdam, Vol. 12, Issue 6, December 2011, pp. 3261-3293.

[66] N. Eshima and M. Tabata, Three predictive power measures for generalized linear models: Entropy coefficient of determination, entropy correlation coefficient and regression correlation coefficient, *Computational Statistics & Data Analysis*, Vol. 55, 2011, pp. 3049-3058, Elsevier Science, Amsterdam.

[65] N. Eshima, Osamu Tokumaru, Shohei Hara, Kira Bacal, Seigo Korematsu, M. Tabata, Shigeru Karukaya, Yoshinori Yasui, Nobuhiko Okabe, Toyojiro Matsuishi, Sex- and age-related differences in morbidity rates of 2009 pandemic influenza A H1N1 virus of swine origin in Japan. *PLoS ONE* 6(4): e19409. doi:10.1371/journal.pone.0019409

[64] M. Tabata and N. Eshima, A stochastic agent-based approach to the Fokker-Planck equation in human population dynamics, In: *Partial Differential Equations: Theory, Analysis and Applications*, Editor: Christopher L. Jang, 2010 Nova Science Publishers, Inc. Series: *Mathematics Research Developments*, Pub. Date: 2011 1st quarter, ISBN: 978-1-61122-858-8

- [63] M. Tabata, N. Eshima, I. Takagi, A mathematical-model approach to human population explosions caused by migration, *Nonlinear Analysis Series B: Real World Applications*, Elsevier Science, Amsterdam, Vol. 11, Issue 5, October 2010, pp. 4027-4042.
- [62] N. Eshima, M. Tabata, Entropy coefficient of determination for generalized linear models, *Computational Statistics & Data Analysis*, Elsevier Science, Amsterdam, Volume 54, Issue 5, 1 May 2010, pp. 1381-1389.
- [61] N. Eshima, Osuke Iwata, Sachiko Iwata, M. Tabata, Yasunori Higuchi, Toyojiro Matsuishi, and Shigeru Karukaya, Age and gender specific prevalence of HTLV-1: a hidden paradox, *Journal of Clinical Virology*, Elsevier Science, Amsterdam, Volume 45, Issue 2, June 2009, pp. 135-138.
- [60] M. Tabata & N. Eshima, The Kramers-Moyal expansion of the master equation that describes human migration in a bounded domain, *Nonlinear Analysis Series B: Real World Applications*, Elsevier Science, Amsterdam, (2009), Vol. 10, pp. 639 – 664
- [59] M. Tabata, T. Moriyama, S. Motoyama, and N. Eshima, A mathematical-model approach to chlamydial infection in Japan. In: *Progress in Nonlinear Analysis Research*, ISBN: 978-1-60456-359-7 Editor: Erik T. Hoffmann, pp. 25-33, Chapter 2, 2009 Nova Science Publishers, Inc
- [58] N. Eshima, M. Tabata, Yasunori Higuchi, & Shigeru Karukaya, Is the innate bio-protection power against human virus the same between males and females? A conclusion based on blood donor data of HTLV-I infection. *Nature Precedings*, hdl:10101/npre.2008.1987.1
- [57] N. Eshima, T. Kohda, and M. Tabata, Statistical solution to the capacity problem in direct-sequence code-division multi-access communication system, *IMA Journal of Mathematical Control and Information*, Oxford University Press, (2007), Vol.24, pp. 289-298.
- [56] N. Eshima, M. Tabata, T. Okada: Why is the distribution of HTLV-I carriers geographically biased?: an answer through a mathematical epidemic model, *Mathematical Medicine and Biology: A Journal of the IMA*, Oxford University Press, Vol. 24, pp. (2007), 149-167.
- [55] N. Eshima & M. Tabata, Entropy correlation coefficient for measuring predictive power of generalized linear models, *Statistics & Probability Letters*, Elsevier Science, Amsterdam, Vol. 77, Issue 6, 15 March 2007, pp. 588-593
- [54] M. Tabata, A geometrical similarity between diffusion of biological particles and migration of human population in mathematical sociology, *Suuriken Kokyuroku (Kyoto, 2005)*. No. 1474,

(2006), 127-143.

[53] M. Tabata, N. Eshima, I Takagi, A geometrical similarity between migration of human population and diffusion of biological particles, *Nonlinear Analysis Series B: Real World Applications*, Elsevier Science, Amsterdam, (2006/9), Vol.7, Issue 4, pp. 872-894.

[52] M. Tabata, N. Eshima, The Fokker-Planck equation and the master equation in the theory of migration. *IMA Journal of Applied Mathematics*, Oxford University Press, (2004/10), Vol. 69, pp. 585-603.

[51] M. Tabata, N. Eshima, The behavior of stochastic agent-based models when the number of agents and the time variable tend to infinity, *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (2004/4), Vol. 152, No.1 pp. 47-70.

[50] N. Eshima, M. Tabata, An Entropy Measure for the Predictive Power of Generalized Linear Models, *The Japanese Journal of Behaviormetrics* 30(2), 239, 2004-01-30

[49] N. Eshima, M. Tabata, T. Okada, and S. Karukaya, Population dynamics of HTLV-I infection: A discrete-time mathematical epidemic model approach, *Mathematical Medicine and Biology: A Journal of the IMA*, Oxford University Press. (2003/5), Vol.20 Issue 1, pp. 29-45.

[48] M. Tabata and N. Eshima, A self-referential agent-based model that consists of a large number of agents moving stochastically in a discrete bounded domain, *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (2003/8), Vol. 143, No. 2-3, pp. 443-483.

[47] N. Eshima and M. Tabata, A mathematical epidemic model approach to an investigation of smallpox type infections. *EPIDEMIOLOGY* Volume : 13 Issue : 4 Page : S97

[46] M. Tabata and N. Eshima, The Cauchy problem for the nonlinear integro-partial differential equation in quantitative sociodynamics, *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (2002/11), Vol. 132, No. 2-3, pp. 537-552.

[45] M. Tabata and N. Eshima, Blowing up solutions to the Cauchy problem for the master equation, *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (2002/3), Vol.127, No. 2-3, pp. 181-193.

[44] M. Tabata, A. Ide, N. Eshima, I. Takagi, and Y. Takei, A functional-analytic and numerical-analytic approach to nonlinear economic models described by the master equation, in "Empirical

Science of Financial Fluctuations" (Ed. H. Takayasu), Chapter III, Section 1, pp. 304-311, Springer-Verlag, (2002/4).

[43] M. Tabata, N. Eshima, and I. Takagi, An infinite continuous model which derives from a finite discrete model describing the time evolution of the density of firms, *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (2002/1), Vol.125, No. 1, pp. 105-132.

[42] N. Eshima, M. Tabata, S. Karukaya, Estimation of Infection Probability of Human T-Cell Leukemia Virus Type I in the Japanese People: *Bulletin of the Computational Statistics of Japan* 13(2), 137, 2001-05-30, http://doi.org/10.20551/jscswabun.13.2_137_3

[41] N. Eshima, M. Tabata, H. Kikuchi, S. Karukaya, and T. Taguchi, Analysis of the infection system of human T-cell leukemia virus type 1 based on a mathematical epidemic model, *Statistics in Medicine*, John-Wiley & Sons, Ltd., New York, (2001/12), Vol. 20, Issue 24, pp. 3891-3900.

[40] N. Eshima, M. Tabata, and Geng Zhi, Path analysis with logistic regression models: Effect analysis of fully recursive causal systems of categorical variables, *Journal of the Japan Statistical Society*, Vol. 31. No. 1, pp. 1-14, (2001/9).

[39] M. Tabata, A. Ide, N. Eshima, I. Takagi, and Y. Takei, Self-organization exhibited by a stochastic agent-based model of firms seeking higher desirability in business expressed by the market potential, in "Proceedings of the Fourth International Conference on Computational Intelligence and Multimedia Applications ICCIMA 2001", pp. 4-8, IEEE Computer Society Press, (2001/10), pp. 4-8.

[38] M. Tabata, N. Eshima, The Cauchy problem for the nonlinear integro-partial differential equation that describes the time evolution of sociodynamic quantities, *Qualitative theory of functional equations and its application to mathematical science*, (Kyoto 2000), *Surikaisekikenkyusyo Kokyuroku*, No. 1216, (2001), 13-22

[37] A. Ide, I. Oseto, and M. Tabata, The analysis of problems between engineering and law in using filtering softwears. *Memoirs of the Graduate School of Science and Technology, Kobe University*, (2001/4), Vol. 19-A. pp 167-188.

[36] M. Tabata, N. Eshima, and I. Takagi, The master equation approach to self-organization in labor mobility, in *Evolutionary Controversies in Economics: A New Transdisciplinary Approach* (Ed. Y. Aruka), Part V, Section 3, pp. 201-212, Springer-Verlag, (2001/6).

- [35] N. Eshima, M. Tabata, and M. Tsujitani, Property of the RC(M) association model and a summary measure of association in the contingency table, *Journal of the Japan Statistical Society*, (2001/6), Vol. 31, No. 1, pp. 15-26.
- [34] M. Tabata, N. Eshima, and I. Takagi, The master equation approach to self-organization in labor mobility, in *Evolutionary Controversies in Economics: A New Transdisciplinary Approach* (Ed. Y. Aruka), Part V, Section 3, pp. 201-212, Springer-Verlag, (2001/6).
- [33] M. Tabata, N. Eshima, Blow-up solutions to initial-value problems for nonlinear integro-partial differential equations that appear in quantitative sociology, *Nonlinear evolution equations and their applications*, (Kyoto 1999), *Surikaisekikenkyusyo Kokyuroku*, No. 1135, (2000), 41-51
- [32] M. Tabata and N. Eshima, Decay of solutions to the mixed problem for the linearized Boltzmann equation with a potential term in a polyhedral bounded domain. *Rendiconti del Seminario Matematico dell'Universita di Padova*, (2000/9), Vol. 103, No.1, pp. 133-155.
- [31] M. Tabata and N. Eshima, The point spectrum of the linearized Boltzmann operator with an external potential in an unbounded domain. *Taiwanese J. Math.*, (2000/6), Vol. 4, No. 2, pp. 297-306.
- [30] M. Tabata and N. Eshima, The behavior of solutions to the Cauchy problem for the master equation. *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (2000/5), Vol. 112, No. 1, pp. 79-98.
- [29] M. Tabata, N. Eshima, and I. Takagi, The behavior of solutions of the nonlinear integro-partial differential equation in mathematical economics and its economic meanings, *Papers of the Fourth Annual Conference of the Japan Association for Evolutionary Economics, JAFEE 2000* (2000/5), pp.41-43.
- [28] N. Eshima and M. Tabata, Effect analysis in loglinear model approach to path analysis of categorical variables, *Behaviormetrika*, Springer, (1999/9), Vol. 26, No.2, pp. 221-233. <https://doi.org/10.2333/bhmk.26.221>
- [27] M. Tabata, N. Eshima, and I. Takagi, The nonlinear integro-partial differential equation describing the logistic growth of human population with migration, *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (1999/2), Vol. 98, No. 2-3, pp. 169-183.
- [26] M. Tabata, N. Eshima, I. Takagi, and T. Hiroyama, The Cauchy problem for the system of

equations describing migration motivated by regional economic disparity. *Applied Mathematics and Computation*, Elsevier Science, Amsterdam, (1998/8), Vol. 94, No. 1, pp. 45-64.

[25] M. Tabata and N. Eshima, A model for the geographic spread of an epidemic which infects human beings. *Memoirs of the Graduate School of Science and Technology, Kobe University*, (1998/3), Vol. 16-A, pp 167-188.

[24] M. Tabata, The linearized Boltzmann equation with an external force, *Nonlinear evolution equations and their applications*, (Kyoto 1996), *Surikaiseikikenkyusyo Kokyuroku*, No. 1009, (1997), 1-21

[23] N. Eshima and M. Tabata, The RC(M) association model and canonical correlation analysis. *Journal of the Japan Statistical Society*, (1997/6), Vol. 27, No. 1, pp. 109-120.

[22] M. Tabata, N. Eshima, I. Takagi, and T. Hiroyama, The system of equations describing economic growth with labor mobility. *Memoirs of the Graduate School of Science and Technology, Kobe University*, (1997/3), Vol. 15-A, pp 167-188.

[21] M. Tabata and N. Eshima, The spectrum of the transport operator with a potential term under the spatial periodicity condition. *Rendiconti del Seminario Matematico dell'Universita di Padova*, (1997/3), Vol. 97, No.1, pp. 211-233.

[20] M. Tabata and N. Eshima, The spectrum of the linear transport operator with a force in a torus. *Acta Math. Hungarica*, (1997/1), Vol 74, No. 1-2, pp. 63-81.

[19] M. Tabata N. Eshima, T. Hiroyama, I. Takagi, and A. Yagi, A numerical analysis of the system of equations describing urbanization process. *Memoirs of the Graduate School of Science and Technology, Kobe University*, (1996/3), Vol. 14-A, pp. 141-152.

[18] M. Tabata and N. Eshima, The point spectrum of the linearized Boltzmann operator with the external-force term in a bounded domain. *Journal of Partial Differential Equations*, (1996/2), Vol. 9, No. 2, pp. 103-110.

[17] N. Eshima, C. Asano, and M. Tabata, A developmental path model and causal analysis of latent dichotomous variables. *British Journal of Mathematical and Statistical Psychology*. (1996), Vol. 49, pp. 43-56.

[16] M. Tabata and N. Eshima, The point spectrum of the linearized Boltzmann operator with the

external-potential term in an exterior domain. *J. Korean Math. Soc.*, (1996), Vol. 33, No. 1, pp. 89-99.

[15] M. Tabata, The point spectrum of the linearized Boltzmann operator with an external-force potential in an exterior domain. *Transport Theory and Statistical Physics*, Marcel Dekker, New York, (1995/11), Vol. 24, No. 9, pp. 1271-1294.

[14] M. Tabata, T. Hiroyama, I. Takagi, and A. Yagi, An economic analysis of urbanization process: the system of nonlinear ordinary differential equations. *Journal of Research Institute of General Education of Kyushu Tokai Univ.*, (1995/4), Vol. 7, pp. 1-20.

[13] M. Tabata and N. Eshima, The point spectrum of the linearized Boltzmann operator with the potential term in an unbounded domain. *Memoirs of the Graduate School of Science and Technology, Kobe University*, (1995/3), Vol. 13-A, pp. 169-185.

[12] M. Tabata and N. Eshima, The point spectrum of the linearized Boltzmann operator with the potential term in a semi-infinite domain and the corresponding eigenspaces. *Rendiconti del Seminario Matematico Universit e Politecnico Torino*, (1995/11), Vol. 53, No. 2, pp. 99-108.

[11] M. Tabata, The purely imaginary point spectrum of the linearized Boltzmann operator with a singular external potential. *Kobe Journal of Mathematics*, (1995/12), Vol. 12, No. 2, pp. 147-153.

[10] M. Tabata, Decay of solutions to the mixed problem for the linearized Boltzmann equation with an external potential in a bounded domain. *Mathematical analysis of phenomena in fluid and plasma dynamics, Surikaisekikenkyusyo Kokyuroku*, (Kyoto 1994), No. 914, (1995), 80-84

[9] M. Tabata, Decay of solutions to the Cauchy problem for the linearized Boltzmann equation with an unbounded external-force potential. *Transport Theory and Statistical Physics*, Marcel Dekker, New York, (1994/6), Vol. 23, No. 6, pp. 741-780.

[8] N. Eshima and M. Tabata, Separating Equations in latent scalogram analysis. *Journal of Research Institute of General Education of Kyushu Tokai University*, (1994/10), Vol. 6, pp. 15-21.

[7] M. Tabata, The point spectrum of the linearized Boltzmann operator with an external-force potential in an unbounded domain. *Mathematical analysis of phenomena in fluid and plasma dynamics, Surikaisekikenkyusyo Kokyuroku*, (Kyoto 1993), No. 862, (1994), 118-128

- [6] M. Tabata, Decay of solutions to the Cauchy problem for the linearized Boltzmann equation with some external-force potential, *Japan Journal of Industrial and Applied Mathematics*, (1993/6), Vol. 10, No. 2, pp. 237-253.
- [5] M. Tabata, Decay of solutions to the mixed problem with the periodicity boundary condition for the linearized Boltzmann equation with conservative external force. *Communications in Partial Differential Equations*, Marcel Dekker, New York, (1993/11), Vol. 18, No. 11, pp. 1823-1846.
- [4] M. Tabata, Doctoral Thesis, Decay of solutions to the Cauchy problem for the linearized Boltzmann equation with some external-force potential, <https://doi.org/10.11501/3072881>, <http://iss.ndl.go.jp/books/R100000039-I001485715-00>
- [3] M. Tabata, The point spectrum of the linearized Boltzmann operator with the potential term. *Kobe Journal of Mathematics*, (1992/12), Vol. 9, No. 2, pp. 183-194.
- [2] M. Tabata, Local solutions to the Cauchy problem for the system of equations describing the motion of a mixture of compressible viscous and heat-conductive fluids. *Kobe Journal of Mathematics*, (1992/12), Vol. 9, No. 2, pp. 195-205.
- [1] M. Tabata, On the mixed problem for the discretized Boltzmann equation. *Japan Journal of Applied Mathematics*, (1987/2), Vol. 4, No 1, pp. 173-184.