

大阪市立大学 大学院理学研究科 生物地球系専攻

情報生物学研究室 業績

2015-2019

当研究室のメンバーが著者として関わった研究論文の一覧。太緑字は、当研究室で研究を行った学生（現役生・卒業生）を示す。

2019

- 渕側太郎 社会性昆虫のコロニー内における概日リズム 比較生理生化学 36, 155-165. doi: [10.3330/hikakuseiriseika.36.155](https://doi.org/10.3330/hikakuseiriseika.36.155)
- Satoh, S., Awata, S., Tanaka, H., Jordan, L.A., **Kakuda, U.**, Hori, M., Kohda, M. Bi-parental mucus provisioning in the scale-eating cichlid *Perissodus microlepis* (Cichlidae). Biological Journal of the Linnean Society, Biological Journal of the Linnean Society 128, 926–935. doi: [10.1093/biolinnean/blz124](https://doi.org/10.1093/biolinnean/blz124)
- Matsuda, N., Fujita, S., Tanaka, K., Watari, Y., Shintani, Y., Goto, S.G., Nisimura, T., Izumi, Y., Numata, H. Robustness of latitudinal life-cycle variations in a cricket *Dianemobius nigrofasciatus* (Orthoptera: Trigonidiidae) in Japan against climate warming over the last five decades. Applied Entomology and Zoology, Applied Entomology and Zoology 54, 349-357. doi: [10.1007/s13355-019-00629-x](https://doi.org/10.1007/s13355-019-00629-x)
- Yamaguchi, K.**, Goto, S.G. Distinct Physiological Mechanisms Induce Latitudinal and Sexual Differences in the Photoperiodic Induction of Diapause in a Fly. Journal of Biological Rhythms 34, 293-306. doi: [10.1177/0748730419841931](https://doi.org/10.1177/0748730419841931)
- Hamanaka, Y., Mizunami, M. Tyrosine hydroxylase-immunoreactive neurons in the mushroom body of the field cricket, *Gryllus bimaculatus*. Cell and Tissue Research 376: 97-111. doi: [10.1007/s00441-018-2969-9](https://doi.org/10.1007/s00441-018-2969-9)
- Sekizawa, A.**, Goto, S.G., Nakashima, Y. A nudibranch removes rival sperm with a disposable spiny penis. Journal of Ethology. 37: 21-29 doi: [10.1007/s10164-018-0562-z](https://doi.org/10.1007/s10164-018-0562-z)
- Tamai, T.**, Shiga, S., Goto, S.G. Roles of the circadian clock and the endocrine regulator in the photoperiodic response of the brown-winged green bug, *Plautia stali*. Physiological Entomology 44: 43-52. doi: [10.1002/PHEN.12274](https://doi.org/10.1002/PHEN.12274)

2018

- Shimizu, Y.**, **Tamai, T.**, Goto, S.G. Cell cycle regulator, small silencing RNA, and segmentation patterning gene expression in relation to embryonic diapause in the band-legged ground cricket. Insect Biochemistry and Molecular Biology 102: 75-83. doi: [10.1016/j.ibmb.2018.09.012](https://doi.org/10.1016/j.ibmb.2018.09.012)
- Matsuda, N., Tanaka, K., Watari, Y., Shintani, Y., Goto, S.G., Nisimura, T., Izumi, Y., Numata, H. Northward expansion of the bivoltine life cycle of the cricket over the last four decades. Global Change Biology. 24: 5622-5628. doi: [10.1111/gcb.14436](https://doi.org/10.1111/gcb.14436)

- Yashiro T, Lo N, Kobayashi K, Nozaki T, Fuchikawa T, Mizumoto N, Namba Y, Matsuura K. Loss of males from mixed-sex societies in termites. *BMC Biology* 16:96 doi: [10.1186/s12915-018-0563-y](https://doi.org/10.1186/s12915-018-0563-y)
- 濱中良隆 昆虫の光周性機構:ルリキンバエでの解析 比較生理生化学 35, 140-149.
doi: [10.3330/hikakuseiriseika.35.140](https://doi.org/10.3330/hikakuseiriseika.35.140)
- Goto, S.G., Matsumoto, K. Photoperiodism, Insects. The Encyclopedia of Reproduction 2nd Edition, Elsevier. ISBN: 9780128118993
- Rozsypal, J., Moos, M., Goto, S.G. Cold acclimation increases cold tolerance independently of diapause programming in the bean bug, *Riptortus pedestris*. Bulletin of Entomological Research, 108: 487-493. doi: [10.1017/S0007485317001006](https://doi.org/10.1017/S0007485317001006)
- Matsuura K, Mizumoto N, Kobayashi K, Nozaki T, Fujita T, Yashiro T, Fuchikawa T, Mitaka Y, Vargo EL. A genomic imprinting model of termite caste determination: Not genetic but epigenetic inheritance influences offspring caste fate. *American Naturalist* 191: 677-690. doi: [10.1086/697238](https://doi.org/10.1086/697238)
- Suzaki Y, Katsuki M, Okada K. Attractive males produce high - quality daughters in the bean bug *Riptortus pedestris*. *Entomologia Experimentalis et Applicata* 116:17-23. doi: [10.1111/eea.12636](https://doi.org/10.1111/eea.12636)
- Shimizu, Y., Mukai, A., Goto, S.G. Cell cycle arrest in the jewel wasp *Nasonia vitripennis* in larval diapause. *Journal of Insect Physiology* 106, 147-152. doi: [10.1016/j.jinsphys.2016.11.011](https://doi.org/10.1016/j.jinsphys.2016.11.011)

2017

- Kawasaki, Y., Nishimura, H., & Shiga, S. Plausible link between circa'bi'dian activity rhythms and circadian-clock systems in the large black chafer *Holotrichia parallela*. *Journal of Experimental Biology*, jeb-163253. doi: [10.1242/jeb.163253](https://doi.org/10.1242/jeb.163253)
- Hase, H., Koukai, M., Hamanaka, Y., Goto, S.G., Tachibana, S.-I., Shiga, S. Transcriptome analysis of the brain under diapause and non-diapause conditions in the blowfly, *Protophormia terraenovae*. *Physiological Entomology* 42, 282-289. doi: [10.1111/phen.12205](https://doi.org/10.1111/phen.12205)
- Harada, E., Goto, S.G. Up-regulation of heat-shock proteins in larvae, but not adults, of the flesh fly during hot summer days. *Cell Stress and Chaperones*, 22, 823-831. doi: [10.1007/s12192-017-0812-y](https://doi.org/10.1007/s12192-017-0812-y)
- Mizumoto N, Fuchikawa T, Matsuura K (2017) Pairing strategy after today's failure: unpaired termites synchronize mate search using photic cycles. *Population Ecology* 59: 205-211 doi: [10.1007/s10144-017-0584-3](https://doi.org/10.1007/s10144-017-0584-3)
- Kawakami, H., Goto, S.G., Murata, K., Matsuda, H. Shigeri, Y., Imura, T., Inagaki, H., Shinada, T. Isolation of biologically active peptides from the venom of Japanese carpenter bee, *Xylocopa appendiculata*. *Journal of Venomous Animals and Toxins including Tropical Diseases* 23, 29. doi: [10.1186/s40409-017-0119-6](https://doi.org/10.1186/s40409-017-0119-6)
- Yamamoto, Mik., Nishimura, K., Shiga, S. Clock and hormonal controls of an eclosion gate in the flesh fly *Sarcophaga crassipalpis*. *Zoological Science* 34, 151-160. doi: [10.2108/zs160153](https://doi.org/10.2108/zs160153)
- Yamamoto, Miz., Shiga, S., Goto, S.G. Distribution of PERIOD-immunoreactive neurons and temporal change of the immunoreactivity under long-day and short-day conditions in the larval brain of the flesh fly *Sarcophaga similis*. *Chronobiology International*, 34, 819-825. doi: [10.1080/07420528.2017.1310736](https://doi.org/10.1080/07420528.2017.1310736)
- Fuchikawa T, Beer K, Linke-Winnebeck C, Ben-David R, Kotowoy A, Tsang VWK, Warman GR, Winnebeck EC, Helfrich-Forster C, Bloch G. Neuronal circadian clock protein oscillations are similar in behaviourally rhythmic forager honey bees and in arrhythmic nurses. *Open Biology* 7: 170047 doi: [10.1098/rsob.170047](https://doi.org/10.1098/rsob.170047)

- Okada K, Suzaki Y, Sasaki R, Katsuki M. Fitness costs of polyandry to female cigarette beetle *Lasioderma serricorne*. Behavioral Ecology and Sociobiology 71:86. doi:[10.1007/s00265-017-2316-2](https://doi.org/10.1007/s00265-017-2316-2)
- **Xi, J., Toyoda, I.**, Shiga, S. Afferent neural pathways from the photoperiodic receptor in the bean bug, *Riptortus pedestris*. Cell and Tissue Research 368, 469-485. doi: [10.1007/s00441-016-2565-9](https://doi.org/10.1007/s00441-016-2565-9)
- Matsumura K, Fuchikawa T, Miyatake T. Decoupling of behavioral trait correlation across life stages in two holometabolous insects. Behavior Genetics 47:459–467 doi:[10.1007/s10519-017-9847-1](https://doi.org/10.1007/s10519-017-9847-1)
- Fujioka H, Abe MS, Fuchikawa T, Tsuji K, Shimada M, Okada Y. Ant circadian activity associated with brood care type. Biology Letters 13:20160743 doi: [10.1098/rsbl.2016.0743](https://doi.org/10.1098/rsbl.2016.0743)
- **Matsumoto, K.**, Suetsugu, Y., Tanaka, Y., Kotaki, T., Goto, S.G., Shinoda, T., Shiga, S. Identification of allatostatic molecules in the brown-winged green bug *Plautia stali*. Journal of Insect Physiology 96, 21-28. doi: [10.1016/j.jinsphys.2016.10.005](https://doi.org/10.1016/j.jinsphys.2016.10.005)

2016

- Suzaki, Y., Okada, K. Developmental characteristics of the seed bug *Graptostethus servus* (Hemiptera: Lygaeidae) at different temperatures. Applied Entomology and Zoology 51, 555-560. doi: [10.1007/s13355-016-0431-6](https://doi.org/10.1007/s13355-016-0431-6)
- Goto, S.G. Physiological and molecular mechanisms underlying photoperiodism in the spider mite: comparisons with insects. Journal of Comparative Physiology B 186, 969-984. doi: [10.1007/s00360-016-1018-9](https://doi.org/10.1007/s00360-016-1018-9)
- **Omura, S.**, Numata, H., Goto, S.G. Circadian clock regulates photoperiodic responses governed by distinct output pathways in the bean bug, *Riptortus pedestris*. Biological Rhythm Research 47, 937-945. doi: [10.1080/09291016.2016.1212515](https://doi.org/10.1080/09291016.2016.1212515)
- 後藤慎介 ナミハダニの休眠とその誘導機構 植物防疫 70(3), 15-20.
- Miyazaki, Y., Tanaka, K., Watari, Y. Goto, S.G. Temperature cycle amplitude alters the adult eclosion time and expression pattern of the circadian clock gene *period* in the onion fly. Journal of Insect Physiology 86, 54-59. doi: [10.1016/j.jinsphys.2016.01.002](https://doi.org/10.1016/j.jinsphys.2016.01.002)
- **Mukai, A.**, Goto, S.G. The clock gene *period* is essential for the photoperiodic response in the jewel wasp *Nasonia vitripennis* (Hymenoptera: Pteromalidae). Applied Entomology and Zoology 51, 185-194. doi: [10.1007/s13355-015-0384-1](https://doi.org/10.1007/s13355-015-0384-1)

2015

- Rozsypal, J. The role of water, ice nucleators, and inoculation in insect cold survival. Open Access Insect Physiology 5, 21-30. doi: [10.2147/OAIP.S64952](https://doi.org/10.2147/OAIP.S64952)
- 後藤慎介, 遠藤淳 ナミハダニの光周性機構 比較生理生化学 32, 109-117.
- Kobelkova, A.#, Goto, S.G.#, Peyton, J.T., **Ikeno, T.**, Lee, R.E. Jr., Denlinger, D.L. Continuous activity and no cycling of clock genes in the Antarctic midge during the polar summer. Journal of Insect Physiology 81, 90-96. #: equally contributed. doi: [10.1016/j.jinsphys.2015.07.008](https://doi.org/10.1016/j.jinsphys.2015.07.008)
- Yasuyama, K., **Hase, H.**, Shiga, S. Neuroanatomy of the pars intercerebralis neurons in the blow fly *Protophormia terraenovae* with an interest in connections with pigment-dispersing factor-immunoreactive neurons. Cell Tissue Research 362, 33-43. doi: [10.1007/s00441-015-2192-x](https://doi.org/10.1007/s00441-015-2192-x)

- Goto, S.G., Lee, R.E. Jr., Denlinger, D.L. Aquaporins in the Antarctic midge, an extremophile that relies on dehydration for cold survival. *Biological Bulletin* 229, 47-57. [Free download](#).
- Goto, S.G., **Takekata, H.** Circatidal rhythm and the veiled clockwork. *Current Opinion in Insect Science* 7, 92-97. doi: [10.1016/j.cois.2014.12.004](https://doi.org/10.1016/j.cois.2014.12.004)